Annual Index

Volume 18
1983

Authors

A

ABRAHAM, S., L.A. Hillyard, C.Y. Lin and R.S. Schwartz, Effect of specific dietary fatty acids on lipogenesis in the livers and mammary glands of lactating mice, 820
See G.A. Rao
ABOUD-BICHARA, A. See E. Ayanoglu
ABUIRMEILEH, N. See A.A. Qureshi
ACKMAN, R. G. See C.C. Parrish
ADLER, J.H., and T.A. Salt, Cooccurrence of C-24 alkylated Δ^7- and Δ^5-sterols in the leaves of *Beta vulgaris*, 229
ADAMS, D.A. See K.L. Erickson
AGWU, D.E., I. Johnstone, S. Crane and B.J. Holub, Enhanced incorporation of exogenous arachidonic acid into phosphatidylinositol and other phospholipids during the early stages of thrombin-induced aggregation in gerbil platelets, 859
ÅKESSON, B., S. Gronowitz, B. Herslöf, P. Michelsen and T. Olivecrona, Stereospecificity of different lipases, 313
ALAM, B.S., and S.Q. Alam, Phospholipid composition of liver in rats fed high levels of 13-*cis* retinoic acid, 142
ALAM, I., J.B. Smith and M.J. Silver, Metabolism of platelet-activating factor by blood platelets and plasma, 534
ALAM, S.Q. See B.S. Alam
ALANIZ, M.J.T. de. See I.N.T. de Gómez Dumm
ALEXANDER, J.C. See H. Yoshida
ALIAU, S. See C. Tabacik
AMMON, H.V., R.E. Loeffler and L.A. Luedtke, Effects of lysophosphatidylcholine on jejunal water and solute transport in the rat in vivo, 428
ARIENTI, G. See G. Goracci
ARUNACHALAM, T.A. See R.J. Rodriguez
ASHWELL, M. See M. Enser
AUTOR, A.P. See J.P. Kehrer
AVANZATI, B. See A. Catalá
AYANOGLU, E., S. Popov, J.M. Kornprobst, A. Aboud-Bichara and C. Djerassi, Phospholipid studies of marine organisms: V. New α-methoxy acids from *Higginsia tethyoides*, 830
See J. Lankelma

B

BAKER, G.J. See C.G. Duck-Chong
BAKER, N. See R. Bickerstaffe
See V. Hill
BALLIANO, G., O. Caputo, F. Viola, L. Delprino and L. Cattel, Conversion of cyclolaudenol to 24α- and 24β-ethylsterols in the Cucurbitaceae, 302
BARDEN, R.E. See E.F. Duhr
BARROWMAN, J.A. See J.M. Laher
BAUER, J.E., and W.D. Ransone, Fatty acid composition of serum lipids in fasting ponies, 397
BEACH, D.H. See G.G. Holz Jr.
BELL, F.P., Effect of the plasticizer di(2-ethylhexyl) adipate (dioctyladipate, DOA) on lipid metabolism in the rat: I. Inhibition of cholesterolgenesis and modification of phospholipid synthesis, 211
and E.V. Hubert, Evidence that chlorpromazine inhibits sterologenesis at post-HMGCoA reductase sites in rat liver, in vitro, 668
BELL, M.V., C.M.F. Simpson and J.R. Sargent, (n-3) and (n-6) polyunsaturated fatty acids in the phosphoglycerides of salt-secreting epithelia from two marine fish species, 720
BERG, L.R., G.W. Patterson and W.R. Lusby, Effects of triarimol and tridemorph on sterol biosynthesis in *Saprolegnia ferax*, 448
BICKERSTAFFE, R., I. Lyon, H. Rostami, N. Baker and J. Elovson, Kinetic analysis of plasma VLDL-TG and VLDL-remnant-TG turnover in anesthetized rats, 501
BLOMSTRAND, R., and L. Svensson, The effects of partially hydrogenated marine oils on the mitochondrial function and membrane phospholipid fatty acids in rat heart, 151
BÖGER, P. See G. Sandmann
BONE, Q. See R.J. Morris
BONIFORTI, L. See G. Mingrone
BORA, F.W. See J.L. Rabinowitz
BRENNER, R.R. See I.N.T. de Gómez Dumm
See S. González
See R.J. Pollero
BROICH, C.R., L.E. Gerber and J.W. Erdman, Jr., Determination of lycopene, α- and β-carotene and retinyl esters in human serum by reversed-phase high

Annual Index

Volume 18
1983

Authors

A

ABRAHAM, S., L.A. Hillyard, C.Y. Lin and R.S. Schwartz, Effect of specific dietary fatty acids on lipogenesis in the livers and mammary glands of lactating mice, 820
See G.A. Rao
ABOUD-BICHARA, A. See E. Ayanoglu
ABUIRMEILEH, N. See A.A. Qureshi
ACKMAN, R. G. See C.C. Parrish
ADLER, J.H., and T.A. Salt, Cooccurrence of C-24 alkylated Δ^7- and Δ^5-sterols in the leaves of *Beta vulgaris*, 229
ADAMS, D.A. See K.L. Erickson
AGWU, D.E., I. Johnstone, S. Crane and B.J. Holub, Enhanced incorporation of exogenous arachidonic acid into phosphatidylinositol and other phospholipids during the early stages of thrombin-induced aggregation in gerbil platelets, 859
ÅKESSON, B., S. Gronowitz, B. Herslöf, P. Michelsen and T. Olivecrona, Stereospecificity of different lipases, 313
ALAM, B.S., and S.Q. Alam, Phospholipid composition of liver in rats fed high levels of 13-*cis* retinoic acid, 142
ALAM, I., J.B. Smith and M.J. Silver, Metabolism of platelet-activating factor by blood platelets and plasma, 534
ALAM, S.Q. See B.S. Alam
ALANIZ, M.J.T. de. See I.N.T. de Gómez Dumm
ALEXANDER, J.C. See H. Yoshida
ALIAU, S. See C. Tabacik
AMMON, H.V., R.E. Loeffler and L.A. Luedtke, Effects of lysophosphatidylcholine on jejunal water and solute transport in the rat in vivo, 428
ARIENTI, G. See G. Goracci
ARUNACHALAM, T.A. See R.J. Rodriguez
ASHWELL, M. See M. Enser
AUTOR, A.P. See J.P. Kehrer
AVANZATI, B. See A. Catalá
AYANOGLU, E., S. Popov, J.M. Kornprobst, A. Aboud-Bichara and C. Djerassi, Phospholipid studies of marine organisms: V. New α-methoxy acids from *Higginsia tethyoides*, 830
See J. Lankelma

B

BAKER, G.J. See C.G. Duck-Chong
BAKER, N. See R. Bickerstaffe
See V. Hill
BALLIANO, G., O. Caputo, F. Viola, L. Delprino and L. Cattel, Conversion of cyclolaudenol to 24α- and 24β-ethylsterols in the Cucurbitaceae, 302
BARDEN, R.E. See E.F. Duhr
BARROWMAN, J.A. See J.M. Laher
BAUER, J.E., and W.D. Ransone, Fatty acid composition of serum lipids in fasting ponies, 397
BEACH, D.H. See G.G. Holz Jr.
BELL, F.P., Effect of the plasticizer di(2-ethylhexyl) adipate (dioctyladipate, DOA) on lipid metabolism in the rat: I. Inhibition of cholesterolgenesis and modification of phospholipid synthesis, 211
and E.V. Hubert, Evidence that chlorpromazine inhibits sterologenesis at post-HMGCoA reductase sites in rat liver, in vitro, 668
BELL, M.V., C.M.F. Simpson and J.R. Sargent, (n-3) and (n-6) polyunsaturated fatty acids in the phosphoglycerides of salt-secreting epithelia from two marine fish species, 720
BERG, L.R., G.W. Patterson and W.R. Lusby, Effects of triarimol and tridemorph on sterol biosynthesis in *Saprolegnia ferax*, 448
BICKERSTAFFE, R., I. Lyon, H. Rostami, N. Baker and J. Elovson, Kinetic analysis of plasma VLDL-TG and VLDL-remnant-TG turnover in anesthetized rats, 501
BLOMSTRAND, R., and L. Svensson, The effects of partially hydrogenated marine oils on the mitochondrial function and membrane phospholipid fatty acids in rat heart, 151
BÖGER, P. See G. Sandmann
BONE, Q. See R.J. Morris
BONIFORTI, L. See G. Mingrone
BORA, F.W. See J.L. Rabinowitz
BRENNER, R.R. See I.N.T. de Gómez Dumm
See S. González
See R.J. Pollero
BROICH, C.R., L.E. Gerber and J.W. Erdman, Jr., Determination of lycopene, α- and β-carotene and retinyl esters in human serum by reversed-phase high

performance liquid chromatography, 253
BROWN, E.M., R.J. Carroll, P.E. Pfeffer and J. Sampugna, Complex formation in sonicated mixtures of β-lactoglobulin and phosphatidylcholine, 111
BROWN, P.B., R.M. Clark, K.E. Hundrieser, A.M. Ferris and R.G. Jensen, Bile salt-stimulated lipase in human milk from 2 to 16 weeks postpartum, 393
BUISSON, D.H. See M.R. Grigor
BURGER, W.C. See A.A. Qureshi
BURTIN, M. See M. Lagarde
BYRJALSEN, I. See C.-E. Høy

C

CAPUTO, O. See G. Balliano
CARDELLINA, J.H. II, C.J. Graden, B.J. Greer and J.R. Kern, 17Z-Tetracosenyl 1-glycerol ether from the sponges *Cinachyra alloclada* and *Ulosa ruetzleri*, 107
See S.H. Grode
CARDONA, M.L., J.A. Marco, J.M. Sendra, E. Seoane and J. Torres Ibañez, Waxes and volatile oils in *Hypericum ericoides* (Guttiferae), 439
CARROLL, R.J. See E.M. Brown
CARTER, W.J. See F.H. Faas
CASPI, E. See R.J. Rodriguez
CATALÁ, A., and B. Avanzati, Oleic acid transfer from microsomes to egg lecithin liposomes: Participation of fatty acid binding protein, 803
CATTEL, L. See G. Balliano
CERBULIS, J., O.W. Parks and H.M. Farrell, Jr., Fatty acid composition of polar lipids in goats' milk, 55
CHACKO, S. See G.M. Fischer
CHAN, A.C. See E.T. Pritchard
See S.St.-J. Hamelin
CHANG, W.C. See I. Morita
CHENG, B., and T. Kimura, The distribution of cholesterol and phospholipid composition in submitochondrial membranes from bovine adrenal cortex: Fundamental studies in steroidogenic mitochondria, 577
CHERRY, J.P. See G.S. Fisher
CHO, Y.-J. See M. Sugano
CHOPRA, A. See C. Kasinathan
CHOW, F.I., and S.T. Omaye, Use of antioxidants in the analysis of vitamins A and E in mammalian plasma by high performance liquid chromatography, 837
CHOY, P.C. See R.Y.K. Man
CHRISTOPHERSEN, B., T. Krogstad and J. Norseth, Metabolism of erucic acid in adipocytes isolated from rat epididymal fat, 137
CICCOLI, L., and M. Comporti, Variations of fatty acid composition of erythrocyte and plasma lipids in the rat during the first period of life, 363
CLARK, D.L., F.G. Hamel and S.F. Queener, Changes in renal phospholipid fatty acids in diabetes mellitus: Correlation with changes in adenylate cyclase activity, 696
CLARK, L.R. See R.T. van Aller
CLARK, R.M., M.B. Fey, R.G. Jensen and D.W. Hill, Desmosterol in human milk, 264
See P.B. Brown
See R.G. Jensen
CLENNAN, E.L. See E.F. Duhr
COHEM, B.I., A.K. Singhal, J. Mongelli, M.A. Rothschild, C.K. McSherry and E.H. Mosbach, Hydroxylation of secondary bile acids in the perfused prairie dog liver, 909
COMPORTI, M. See L. Ciccoli
CORNWELL, D.G. See J.A. Lindsey
See N. Lindsey
CORRAZE, G. See C. Lacombe
CRANE, R.T., S.C. Goheen, E.C. Larkin and G.A. Rao, Complexities in lipid quantitation using thin layer chromatography for separation and flame ionization for detection, 74
See G.A. Rao
CRANE, S. See D.E. Agwu
CRASTES DE PAULET, A. See C. Tabacik

D

DAVIES, R.E. See M.K. Logani
DAVIGNON, J. See Y.S. Huang
DAVIS, C.L. See R.R. Grummer
DECHAVANNE, M. See M. Lagarde
DEJONG, F.A. See R.G. Jensen
DELPRINO, L. See G. Balliano
DIN, Z.Z. See A.A. Qureshi
DJERASSI, C. See E. Ayanoglu
See J. Lankelma
DOMNAS, A.J., S.A. Warner and S.L. Johnson, Reversed-phase thin layer chromatography of some common sterols, 87
DUCK-CHONG, C.G., and G.J. Baker, Rapid qualitative analysis of polar and nonpolar lipids in a single sample using 'three-way' thin layer chromatography, 387
DUHR, E.F., J.M. Mauro, E.L. Clennan and R.E. Barden, The synthesis and biological activity of thiolcarnitine and its thiolesters, 382
DURAND, G. See G. Gandemer

E

EGLINTON, G. See D.J. Smith
ELDRIDGE, M.B., J.D. Joseph, K.M. Taberski and G.T. Seaborn, Lipid and fatty acid composition of the endogenous energy sources of striped bass *(Morone saxatilis)* eggs, 510
ELLINGTON, J.C., Jr. See A.W. Nicholas
ELLIOTT, C.G., and V.B. Math, Effect of 6-substituted sterols on sterol-induced reproduction in *Phytophthora cactorum*, 358
ELOVSON, J. See R. Bickerstaffe
ELSON, C.E. See I.T. Mak
See A.A. Qureshi
ENSER, M., and M. Ashwell, Fatty acid composition of triglycerides from adipose tissue transplanted between obese and lean mice, 776
ERDMAN, J.W., Jr. See C.R. Broich
ERICKSON, K.L., D.A. Adams and C.J. McNeill, Dietary lipid modulation of immune responsiveness, 468
EVANS, C.T., and C. Ratledge, A comparison of the oleaginous yeast, *Candida curvata*, grown on different carbon sources in continuous and batch culture, 623
and C. Ratledge, Biochemical activities during lipid accumulation in *Candida curvata*, 630

F

FAAS, F.H., and W.J. Carter, Altered microsomal phos-

pholipid composition in the streptozotocin diabetic rat, 339
FALARDEAU, P. See Y.S. Huang
FARNWORTH, E.R. See J.K.G. Kramer
FARRELL, H.M., Jr. See J. Cerbulis
FELLER, D.R. See A. Mukhopadhyay
FERRIS, A.M. See P.B. Brown
FEY, M.B. See R.M. Clark
FISCHER, G.M., M.L. Swain and S. Chacko, Diet- and hormone-induced lipid deposition in rat kidney: Correlation with systolic blood pressure, 753
FISH, W.R. See G.G. Holz Jr.
FISHER, G.S., and J.P. Cherry, Variation of cyclopropenoid fatty acids in cottonseed lipids, 589
FJALLAND, B. See H.S. Hansen
FORD, G.L., F.B. Whitfield and K.H. Walker, Fatty acid composition of *Ixiolaena brevicompta* F. Muell. seed oil, 103
FOUCHARD, R.C. See J.K.G. Kramer
FRANKEL, E.N., W.E. Neff and E. Selke, Analysis of autoxidized fats by gas chromatography-mass spectrometry: VIII. Volatile thermal decomposition products of hydroperoxy cyclic pentoxides, 353
See W.E. Neff
FUJII, T. See T. Tatara
FUKUSHIMA, H. See T. Watanabe
FUKUZAWA, K. See A. Tokumura

G

GANDEMER, G., G. Durand and G. Pascal, Relative contribution of the main tissues and organs to body fatty acid synthesis in the rat, 223
GARRIGAN, O.W. See G.A. Skowronski
GERBER, L.E. See C.R. Broich
GIBSON, R.A., Australian fish - An excellent source of both arachidonic acid and ω3 polyunsaturated fatty acids, 743
GILLIOM, R.D. See H.A. Parish Jr.
GOHEEN, S.C., E.C. Larkin and G.A. Rao, Severe fatty liver in rats fed a fat-free ethanol diet, and its prevention by small amounts of dietary arachidonate, 285
See R.T. Crane
GOLDFINE, H. See E.A. Thompson
GÓMEZ DUMM, I.N.T. de, M.J.T. de Alaniz and R.R. Brenner, Effect of dietary fatty acids on Δ5 desaturase activity and biosynthesis of arachidonic acid in rat liver microsomes, 781
GONZÁLEZ, S., A.M. Nervi, R.O. Peluffo and R.R. Brenner, Effect of environmental temperature changes on rat liver fatty acid desaturases, 7
GORACCI, G., P. Gresele, G. Arienti, P. Porrovecchio, G.C. Nenci and G. Porcellati, Choline phosphotransferase activity in human platelets, 179
GOVINDARAJAN, U. See C. Kasinathan
GRADEN, C.J. See J.H. Cardellina II
GRECO, A.V. See G. Mingrone
GREENFIELD, M.R. See S.H. Quarfordt
GREER, B.J. See J.H. Cardellina II
GRESELE, P. See G. Goracci
GRIFFITHS, M. See P.W. Parodi
GRIGOR, M.R., C.R. Thomas, P.D. Jones and D.H. Buisson, Occurrence of wax esters in the tissues of the orange roughy *(Hoplostethus atlanticus)*, 585
GRODE, S.H., and J.H. Cardellina II, Ceramides from the sponge *Dysidea etheria*, 889
GROGAN, W.M., and E.G. Huth, Biosynthesis of long-chain polyenoic acids from arachidonic acid in cultures of enriched spermatocytes and spermatids from mouse testis, 275
GRONOWITZ, S. See B. Åkesson
GROS, E.G. See R.J. Pollero
See J. Rovirosa
GROSCH, W. See F. Haslbeck
GRUMMER, R.R., C.L. Davis and H.M. Hegarty, Comparison of ultracentrifugation and gel filtration for the isolation of bovine lipoproteins, 795
GUERIN, P. See G. Rebel

H

HAMEL, F.G. See D.L. Clark
HAMELIN, S.St.-J., and A.C. Chan, Modulation of platelet thromboxane and malonaldehyde by dietary vitamin E and linoleate, 267
HAMMOND, E.G. See W.P. Pan
HANSEN, H.S., B. Fjalland and B. Jensen, Extremely decreased release of prostaglandin E_2-like activity from chopped lung of ethyl lineolenate-supplemented rats, 691
and B. Jensen, Urinary prostaglandin E_2 and vasopressin excretion in essential fatty acid-deficient rats: Effect of linolenic acid supplementation, 682
HARADA, K. See A. Tokumura
HARDING, P. See S. Yu
HASEGAWA, P.M. See D.C. Wright
HASLBECK, F., and W. Grosch, Autoxidation of phenyl linoleate and phenyl oleate: HPLC analysis of the major and minor monohydroperoxides as phenyl hydroxystearates, 706
HAYAKAWA, S. See H. Suzuki
HEGARTY, H.M. See R.R. Grummer
HELLER, F.R., Cholesterol esterifying capacity of various organs in cholesterol-fed guinea pigs, 18
HENDERSON, W.R., W.C. Hubbard and S.J. Klebanoff, Iodination of arachidonic acid by the iron/H_2O_2/iodide system, 390
HERSLÖF, B. See B. Åkesson
HILL, D.W. See R.M. Clark
HILL, V., and N. Baker, Heterogeneous labeling of adipocytes during in vivo-in vitro incubation of epididymal fat pads of aging mice with [1-^{14}C] palmitate, 25
HILLYARD, L.A. See S. Abraham
HØLMER, G. See C.-E. Høy
HOLMLUND, C.E. See R. Pereira
HOLUB, B.J. See D.E. Agwu
HOLZ, G.G., Jr., D.H. Beach, B.N. Singh and W.R. Fish, Biosynthesis of the novel fatty acid, 17-methyl-*cis*-9, 10-methyleneoctadecanoic acid, by the parasitic protozoan, *Herpetomonas megaseliae*, 607
HORROBIN, D.F., and M.S. Manku, How do polyunsaturated fatty acids lower plasma cholesterol levels?, 558
See M.S. Manku
HOSHITA, T. See S. Kuroki
HØY, C. -E., G Hølmer, N. Kaur, I. Byrjalsen and D. Kirstein, Acyl group distributions in tissue lipids of rats fed evening primrose oil (γ-linolenic plus linoleic

acid) or soybean oil (α-linolenic plus linoleic acid), 760
HUANG, R.T.C., The role of neutral glycolipids and phospholipids in myxovirus-induced membrane fusion, 489
HUANG, Y.S., A. Martineau, P. Falardeau and J. Davignon, Fatty acid composition of tissue phospholipids and prostaglandin excretion in hyperlipidemia induced in rats by implantation of the mammotropic pituitary tumor MtT-F_4, 412
See M.S. Manku
HUBBARD, W.C. See W.R. Henderson
HUBERT, E.V. See F.P. Bell
HUNDRIESER, K.E., See P.B. Brown
HUTH, E.G. See W.M. Grogan

I

IDE, T. See M. Sugano

J

JAIN, R. See S.H. Quarfordt
JANICK, J. See D.C. Wright
JENSEN, B. See H.S. Hansen
JENSEN, R.G., F.A. deJong and R.M. Clark, Determination of lipase specificity, 239
Detection and determination of lipase (acylglycerol hydrolase) activity from various sources, 650
See P.B. Brown
See R.M. Clark
JOHNSON, S.L. See A.J. Domnas
JOHNSTON, N.C. See E.A. Thompson
JOHNSTON, P.V. See L.J. Magrum
See L.A. Marshall
JOHNSTONE, I. See D.E. Agwu
JONES, B.A., I.J. Tinsley and R.R. Lowry, Bromine levels in tissue lipids of rats fed brominated fatty acids, 319
I.J. Tinsley, G. Wilson and R.R. Lowry, Toxicology of brominated fatty acids: Metabolite concentration and heart and liver changes, 327
JONES, P.D. See M.R. Grigor
JOSEPH, J.D. See M.B. Eldridge

K

KANAZAWA, A. See S.-I. Teshima
KANNER, J., and J.E. Kinsella, Lipid deterioration: β-Carotene destruction and oxygen evolution in a system containing lactoperoxidase, hydrogen peroxide and halides, 198
and J.E. Kinsella, Initiation of lipid peroxidation by a peroxidase/hydrogen peroxide/halide system, 204
KASINATHAN, C., U. Govindarajan, A. Chopra and G.K. Khuller, Phospholipid synthesizing enzymes of dermatophytes: II. Characterization of choline kinase, 727
KAUFMAN, A.E. See E.A. Thompson
KAUR, N. See C.-E. Høy
KAWASE, T. See T. Tatara
KEHRER, J.P., and A.P. Autor, Unsaturated fatty acids in the postnatally developing rat lung, 50
KERN, J.R. See J.H. Cardellina II
KHOURI, L.G. See A.W. Nicholas
KHULLER, G.K. See C. Kasinathan
KIM, H.K., and D. Kritchevsky, Lipolysis of corn, peanut and randomized peanut oils, 842
KIMURA, T. See B. Cheng
KINSELLA, J.E. See J. Kanner
KIRSTEIN, D. See C.-E. Høy
KLEBANOFF, S.J. See W.R. Henderson
KOHNO, M. See M. Sugano
KOKRADY, S.S. See A. Mukhopadhyay
KOLSKI, G.B. See R.C. Strunk
KORNPROBST, J.M. See E. Ayanoglu
KRAMER, J.K.G., R.C. Fouchard and E.R. Farnworth, A complete separation of lipids by three-directional thin layer chromatography, 896
KROGSTAD, T. See B. Christophersen
KRITCHEVSKY, D. See H.K. Kim
KUNERT, K.-J., and A.L. Tappel, The effect of vitamin C on in vivo lipid peroxidation in guinea pigs as measured by pentane and ethane production, 271
KUNKE, K.S. See R.C. Strunk
KUROKI, S., and T. Hoshita, Effect of bile acid feeding on hepatic steroid 12α-hydroxylase activity in hamsters, 789

L

LACOMBE, C., G. Corraze and M. Nibbelink, Increases in hyperlipoproteinemia, disturbances in cholesterol metabolism and atherosclerosis induced by dietary restriction in rabbits fed a cholesterol-rich diet, 306
LAGARDE, M., M. Burtin, H. Sprecher, M. Dechavanne and S. Renaud, Potentiating effect of 5,8,11-eicosatrienoic acid on human platelet aggregation, 291
LAHER, J.M. and J.A. Barrowman, Polycyclic hydrocarbon and polychlorinated biphenyl solubilization in aqueous solutions of mixed micelles, 216
LANESE, R.R. See A. Mukhopadhyay
LANKELMA, J., E. Ayanoglu and C. Djerassi, Double-bond location in long-chain polyunsaturated fatty acids by chemical ionization-mass spectrometry, 853
LARKIN, E.C. See R.T. Crane
See S.C. Goheen
See G.A. Rao
LIN, C.Y. See S. Abraham
LINDSEY, J.A., N. Morisaki, J.M. Stitts, R.A. Zager and D.G. Cornwell, Fatty acid metabolism and cell proliferation: IV. Effect of prostanoid biosynthesis from endogenous fatty acid release with cyclosporin-A, 566
See N. Morisaki
LOEFFLER, R.E. See H.V. Ammon
LOGANI, M.K., B. Shah and R.E. Davies, Effect of antioxidants on the photooxidation of fatty acids, 259
LOWRY, R.R. See B.A. Jones
See G.R. Wilson
LUEDTKE, L.A. See H.V. Ammon
LUSBY, W.R. See L.R. Berg
LYON, I. See R. Bickerstaffe

M

MADDEN, L.D. See S.I. Schlager
MAGRUM, L.J., and P.V. Johnston, Modulation of prostaglandin synthesis in rat peritoneal macrophages with ω3 fatty acids, 514
MAK, I.T., E. Shrago and C.E. Elson, The influence of

linoleic acid intake on the kinetics of adenine nucleotide translocase, 130
MAN, R.Y.K., T.L. Slater, M.P. Pelletier and P.C. Choy, Alterations of phospholipids in ischemic canine myocardium during acute arrhythmia, 677
MANKU, M.S., D.F. Horrobin, Y.-S. Huang and N. Morse, Fatty acids in normal plasma and normal red cell membranes in normal humans, 906
See D.F. Horrobin
MARCO, J.A. See M.L. Cardona
MARGOLIS, S. See G.S. Sundaram
MARMER, W.N., R.J. Maxwell and J.G. Phillips, Systematic management and analysis of fatty acid data from multiple tissue samples, 460
See R.J. Maxwell
MARSHALL, L.A., and P.V. Johnston, The effect of dietary α-linolenic acid in the rat on fatty acid profiles of immunocompetent cell populations, 737
MARTIN, B.A., and R.F. Wilson, Properties of diacylglycerol acyltransferase from spinach leaves, 1
MARTINEAU, A. See Y.S. Huang
MATH, V.B. See C.G. Elliott
MATSUMOTO, S. See M. Matsuo
MATSUO, M., and S. Matsumoto, Electron spin resonance spectra of the chromanoxyl radicals derived from tocopherols (vitamin E) and their related compounds, 81
MAURO, J.M. See E.F. Duhr
MAXWELL, R.J., and W.N. Marmer, Systematic protocol for the accumulation of fatty acid data from multiple tissue samples: Tissue handling, lipid extraction and class separation, and capillary gas chromatographic analysis, 453
See W.N. Marmer
McNEILL, C.J. See K.L. Erickson
McSHERRY, C.K. See B.I. Cohen
MELTZER, M.S. See S.I. Schlager
MICHELSEN, P. See B. Åkesson
MIETTINEN, T.A. See R.S. Tilvis
MILO, G.E. See N. Morisaki
MINAGAWA, M. See T. Tatara
MINGRONE, G., A.V. Greco, L. Boniforti and S. Passi, Analysis of conjugated bile acids by high performance liquid chromatography and mass spectrometry, 90
MONGELLI, J. See B.I. Cohen
MORISAKI, N., J.A. Lindsey, G.E. Milo and D.G. Cornwell, Fatty acid metabolism and cell proliferation: III. Effect of prostaglandin biosynthesis either from exogenous fatty acid or endogenous fatty acid release with hydralazine, 349
See J.A. Lindsey
MORITA, I., Y. Saito, W.C. Chang and S. Murota, Effects of purified eicosapentaenoic acid on arachidonic acid metabolism in cultured murine smooth muscle cells, vessel walls and platelets, 42
MORRIS, M.D. See C.A. Nelson
MORRIS, R.J., Absence of wax esters in pelagic Lake Baikal fauna, 149
and Q. Bone, Metazoan lipids: An unusual association of saturated sterols with relatively saturated fatty acids in the cilia of *Ciona intestinalis*, 900
See D.J. Smith
MORSE, N. See M.S. Manku
MOSBACH, E.H. See B.I. Cohen
MUELLER, H.W., A.D.Purdon, J.B. Smith and R.L. Wykle, 1-*O*-Alkyl-linked phosphoglycerides of human platelets: Distribution of arachidonate and other acyl residues in the ether-linked and diacyl species, 814
MUKHOPADHYAY, A., S.T. Patel, M. O'Brien, S.S. Kokrady, H.A.I. Newman, D.T. Witiak, R.R. Lanese, J.C. Rice and D.R. Feller, Hypolipidemic effects of clofibrate and selected chroman analogs in fasted rats: II. High sucrose-fed animals, 59
MUÑOZ, O. See J. Rovirosa
MUROTA, S. See I. Morita
MURTHY, V.K., M.R. Stiles and J.C. Shipp, Inhibition by adenosine triphosphate of heart neutral lipase activity, 408

N

NAGATA, Y. See M. Sugano
NAGYVARY, J. See J.L. Nauss
NAKAGAWA, Y. See T. Sugiura
NAKAJIMA, M. See T. Sugiura
NAUGHTON, J.M. See A.J. Sinclair
NAUSS, J.L., J.L. Thompson and J. Nagyvary, The binding of micellar lipids to chitosan, 714
NEFF, W.E., E.N. Frankel, E. Selke and D. Weisleder, Photosensitized oxidation of methyl linoleate monohydroperoxides: Hydroperoxy cyclic peroxides, keto esters and volatile thermal decomposition products, 868
See E.N. Frankel
NELSON, C.A., and M.D. Morris, Human low density lipoprotein structure: Correlations with serum lipoprotein concentrations, 553
NENCI, G.G. See G. Goracci
NERVI, A.M. See S. González
NEWMAN, H.A.I. See A. Mukhopadhyay
NIBBELINK, M. See C. Lacombe
NICHOLAS, A.W., L.G. Khouri, J.C. Ellington, Jr., and E.A. Porter, Synthesis of mixed-acid phosphatidylcholines and high pressure liquid chromatographic analysis of isomeric lysophosphatidylcholines, 434
NORSETH, J. See B. Christophersen
NOZAWA, Y. See T. Watanabe

O

O'BRIEN, M. See A. Mukhopadhyay
O'DEA, K. See A.J. Sinclair
OHANIAN, S.H. See S.I. Schlager
OLIVECRONA, T. See B. Åkesson
O'LOONEY, P. See A. Tamboli
OMAYE, S.T. See F.I. Chow
OSTERMANN, L., Jr. See J.L. Rabinowitz

P

PAN, W.P., and E.G. Hammond, Stereospecific analysis of triglycerides of *Glycine max, Glycine soya, Avena sativa* and *Avena sterilis* strains, 882
PARISH, H.A., Jr., R.D. Gilliom and W.P. Purcell, A simple synthesis of 5,8,11-eicosatrienoic acid, 894
PARKS, L.W. See R.J. Rodriguez
PARKS, O.W. See J. Cerbulis
PARODI, P.W., and M. Griffiths, A comparison of the positional distribution of fatty acids in milk triglycerides of the extant monotremes platypus *(Ornithorhynchus anatinus)* and echidna *(Tachyglossus aculeatus)*, 845

PARRISH, C.C., and R.G. Ackman, The effect of developing solvents on lipid class quantification in Chromarod thin layer chromatography/flame ionization detection, 563
PASCAL, G. See G. Gandemer
PASSI, S. See G. Mingrone
PATEL, S.T. See A. Mukhopadhyay
PATTERSON, G.W. See L.R. Berg
PELLETIER, M.P. See R.Y.K. Man
PELUFFO, R.O. See S. González
PEREIRA, R., C.E. Holmlund and N. Whittaker, The effect of AY-9944 on yeast sterol and sterol ester metabolism, 545
PESSONEY, G.F. See R.T. van Aller
PFEFFER, P.E. See E.M. Brown
PHILLIPS, J.G. See W.N. Marmer
PLATTNER, R.D., and G.F. Spencer, Chemical ionization mass spectrometry of wax esters,68
POLLERO, R.J., Lipid and fatty acid characterization and metabolism in the sea anemone *Phymactis clematis* (Dana), 12
E.G. Gros and R.R. Brenner, Sterol composition of two freshwater molluscs of genus *Diplodom*, 100
POPOV, S. See E. Ayanoglu
PORCELLATI, G. See G. Goracci
PORROVECCHIO, P. See G. Goracci
PORTER, E.A. See A.W. Nicholas
POSSMAYER, F. See S. Yu
PRASAD, K.N. See G. Rebel
PRITCHARD, E.T., and A.C. Chan, Effect of dietary vitamin E on sulfolipid synthesis in rat submandibular salivary gland, 146
PURCELL, W.P. See H.A. Parish Jr.
PURDON, A.D. See H.W. Mueller

Q

QUARFORDT, S.H., R. Jain and M.R. Greenfield, The influence of chenodeoxycholic acid on cholesterol and bile acid turnover in humans with cholelithiasis, 119
QUEENER, S.F. See D.L. Clark
QURESHI, A.A., N. Abuirmeileh, Z.Z. Din, C.E. Elson and W.C. Burger, Inhibition of cholesterol and fatty acid biosynthesis in liver enzymes and chicken hepatocytes by polar fractions of garlic, 343

R

RABINOWITZ, J.L., L. Ostermann, Jr., F.W. Bora and J. Staeffen, Lipid composition and de novo lipid biosynthesis of human palmar fat in Dupuytren's disease, 371
RANSONE, W.D. See J.E. Bauer
RAO, G.A., and S. Abraham, Asymmetric distribution of decanoate in triacylglycerol synthesized in vitro by mammary glands of lactating mice, 335
R.T. Crane and E.C. Larkin, Reduction of hepatic stearoyl-CoA desaturase activity in rats fed iron-deficient diets, 573
R.T. Crane and E.C. Larkin, Reduced plasma lecithin cholesterol acyl transferase activity in rats fed iron-deficient diets, 673
R.T. Crane and E.C. Larkin, Erratum, 913
See R.T. Crane
See S.C. Goheen
RATLEDGE, C. See C.T. Evans
REBEL, G., P. Guerin and K.N. Prasad, Effect of methylmercuric chloride on gangliosides of mouse neuroblastoma cells in culture, 664
REITZ, R.C. See D.L. Wang
RENAUD, S. See M. Lagarde
REVSIN, B.K. See R.C. Strunk
RICE, J.C. See A. Mukhopadhyay
RODRIGUEZ, R.J., T.A. Arunachalam, L.W. Parks and E. Caspi, Growth of a sterol auxotroph derived from *Saccharomyces cerevisiae* on chemically synthesized derivatives of cholesterol possessing side-chain modifications, 772
ROGERS, V.A. See R.T. van Aller
ROSTAMI, H. See R. Bickerstaffe
ROTHMAN, V. See G.S. Sundaram
ROTHSCHILD, M.A. See B.I. Cohen
ROVIROSA, J., O. Muñoz, A. San Martín, A.M. Seldes and E.G. Gros, Sterols from the gorgonian *Lephogorgia subcompressa*, 570

S

SAITO, Y. See I. Morita
SALT, T.A. See J.H. Adler
SAMPUGNA, J. See E.M. Brown
SANDMANN, G., and P. Böger, Peroxidative formation of C_3-hydrocarbons from an ω-4 polyunsaturated fatty acid (16:3ω4) in the alga *Bumilleriopsis*, 37
SAN MARTÍN, A. See J. Rovirosa
SARGENT, J.R. See M.V. Bell
SASAKI, N. See T. Watanabe
SCHLAGER, S.I., and S.H. Ohanian, Role of membrane lipids in the immunological killing of tumor cells: I. Target cell lipids, 475
M.S. Meltzer and L.D. Madden, Role of membrane lipids in the immunological killing of tumor cells: II. Effector cell lipids, 483
SCHWARTZ, R.S. See S. Abraham
SEABORN, G.T. See M.B. Eldridge
SEKIGUCHI, N. See T. Sugiura
SELDES, A.M. See J. Rovirosa
SELKE, E. See E.N. Frankel
See W.E. Neff
SENDRA, J.M. See M.L. Cardona
SEOANE, E. See M.L. Cardona
SHAH, B. See M.K. Logani
SHEEHAN, P.M., and Y.-Y. Yeh, Lung lipid synthesis from acetoacetate and glucose in developing rats in vitro, 295
SHIPP, J.C. See V.K. Murthy
SHIREMAN, R.B., and D. Williams, Evaluation of the rapid micromethod for ultracentrifugal separation of labeled plasma lipoproteins, 636
SHRAGO, E. See I.T. Mak
SILVER, M.J. See I. Alam
SIMPSON, C.M.F. See M.V. Bell
SINCLAIR, A.J., K. O'Dea and J.M. Naughton, Elevated levels of arachidonic acid in fish from Northern Australian coastal waters, 877
SINGH, B.N. See G.G. Holz Jr.
SINGHAL, A.K. See B.I. Cohen
SKOWRONSKI, G.A., and O.W. Garrigan, Glycolipids and thylakoid proteins in chloroplasts and strepto-

mycin-bleached lamellae of *Euglena*, 539
SLATER, T.L. See R.Y.K. Man
SLOVER, H.T., Letter to the editor, 913
SMITH, D.J., G. Eglinton and R.J. Morris, Occurrence of long-chain alkan-diols and alkan-15-one-1-ols in a quaternary sapropel from the Eastern Mediterranean, 902
SMITH, J.B. See I. Alam
See H.W. Mueller
SMITH, N. See S. Yu
SPENCER, G.F. See R.D. Plattner
SPRECHER, H. See M. Lagarde
STAEFFEN, J. See J.L. Rabinowitz
STILES, M.R. See V.K. Murthy
STITTS, J.M. See J.A. Lindsey
STRANDBERG, T.E., Sterol synthesis from biliary squalene in the jejunal mucosa of the rat in vivo, 530
STRUNK, R.C., K.S. Kunke, G.B. Kolski and B.K. Revsin, Intralipid alters macrophage membrane fatty acid composition and inhibits complement (C2) synthesis, 493
SUEZAWA, Y. See T. Watanabe
SUGANO, M., T. Ide, M. Kohno, M. Watanabe, Y.-J. Cho and Y. Nagata, Biliary and fecal steroid excretion in rats fed partially hydrogenated soybean oil, 186
M. Watanabe, M. Kohno, Y.-J. Cho and T. Ide, Effects of dietary *trans* fat on biliary and fecal steroid excretion and serum lipoproteins in rats, 375
SUGIURA, T., M. Nakajima, N. Sekiguchi, Y. Nakagawa and K. Waku, Different fatty chain compositions of alkenylacyl, alkylacyl and diacyl phospholipids in rabbit alveolar macrophages: High amounts of arachidonic acid in ether phospholipids, 125
SUNDARAM, G.S., V. Rothman and S. Margolis, Stimulation of bile acid synthesis by dibutyryl cyclic AMP in isolated rat hepatocytes, 443
SUZUKI, H., S. Hayakawa and M. Tajima, Effect of age on plasma bile acids and lipid components in the rat, 658
SVENSSON, L., The effect of dietary partially hydrogenated marine oils on desaturation of fatty acids in rat liver microsomes, 171
See R. Blomstrand
SWAIN, M.L. See G.M. Fischer

T

TABACIK, C., S. Aliau and A. Crastes de Paulet, Digitonin-precipitable sterols as a measure of cholesterol biosynthesis: Contradictory results, 641
TABERSKI, K.M. See M.B. Eldridge
TAJIMA, M. See H. Suzuki
TAMBOLI, A., M. Vander Maten, P. O'Looney and G.V. Vahouny, Metabolism of fatty acid, glycerol and a monoglyceride analogue by rat cardiac myocytes and perfused hearts, 808
TANAKA, Y. See S.-I. Teshima
TAPPEL, A.L. See K.-J. Kunert
TARAPOOM, N. See T. Yorio
TATARA, T., T. Fujii, T. Kawase and M. Minagawa, Quantitative determination of tri-, di-, monooleins and free oleic acid by the thin layer chromatography-flame ionization detector system utilizing internal standards and boric acid-impregnated chromarod, 732
TESHIMA, S.-I., A. Kanazawa, I. Yamada and Y. Tanaka, Sterols of the sponge *Tethya amamensis:* Occurrence of (24E)-24-ethylidenecholesta-5,7-dienol, (24E)-24-propylidenecholesta-5,7-dienol and (24Z)-24-propylidenecholesta-5,7-dienol, 193
THOMAS, C.R. See M.R. Grigor
THOMPSON, E.A., A.E. Kaufman, N.C. Johnston and H. Goldfine, Phospholipids of *Rhizobium meliloti* and *Agrobacterium tumefaciens:* Lack of effect of Ti plasmid, 602
THOMPSON, J.L. See J.L. Nauss
TILVIS, R.S., and T.A. Miettinen, Dietary squalene increases tissue sterols and fecal bile acids in the rat, 32
and T.A. Miettinen, Absorption and metabolic fate of dietary ^{3}H-squalene in the rat, 233
TINSLEY, I.J. See B.A. Jones
See G.R. Wilson
TOKUMURA, A., K. Harada, K. Fukuzawa and H. Tsukatani, Biphasic action of platelet-activating factor on isolated guinea-pig ileum, 848
TORRES IBANEZ, J. See M.L. Cardona
TORRES, S. See T. Yorio
TSUKATANI, H. See A. Tokumura

U

UMEKI, S. See T. Watanabe

V

VAHOUNY, G.V. See A. Tamboli
VAN ALLER, R.T., L.R. Clark, G.F. Pessoney and V.A. Rogers, A prostaglandin-like fatty acid from a species in the Cyperaceae, 617
VANDER MATEN, M. See A. Tamboli
VIOLA, F. See G. Balliano

W

WAKU, K. See T. Sugiura
WALKER, K.H. See G.L. Ford
WANG, D.L., and R.C. Reitz, Studies on the half-life and the distribution of stearoyl-CoA desaturase in the housefly, 595
WARNER, S.A. See A.J. Domnas
WATANABE, M. See M. Sugano
WATANABE, T., H. Fukushima, N. Sasaki, S. Umeki, Y. Suezawa and Y. Nozawa, Modification of microsomal lipid composition and electron transport enzyme activities in isovalerate-supplemented cells of novel *Tetrahymena* ISO, 423
WEISLEDER, D. See W.E. Neff
WHITFIELD, F.B. See G.L. Ford
WHITTAKER, N. See R. Pereira
WILLIAMS, D. See R.B. Shireman
WILSON, G.R., I.J. Tinsley and R.R. Lowry, Fatty acid composition of liver lipids in rats fed brominated fatty acids, 661
WILSON, G. See B.A. Jones
WILSON, R.F. See B.A. Martin
WITIAK, D.T. See A. Mukhopadhyay
WRIGHT, D.C., J. Janick and P.M. Hasegawa, Temper-

ature effects on in vitro lipid accumulation in asexual embryos of *Theobroma cacao* L., 863
WYKLE, R.L. See H.W. Mueller

Y

YAMADA, I. See S.-I. Teshima
YEH, Y.-Y. See P.M. Sheehan
YORIO, T., S. Torres and N. Tarapoom, Alteration in membrane permeability by diacylglycerol and phosphatidylcholine containing arachidonic acid, 96
YOSHIDA, H., and J.C. Alexander, Enzymatic hydrolysis of fractionated products from oils thermally oxidized in the laboratory, 402
and J.C. Alexander, Enzymatic hydrolysis in vitro of thermally oxidized sunflower oil, 611
YU, S., P. Harding, N. Smith and F. Possmayer, Bovine pulmonary surfactant: Chemical composition and physical properties, 522

Z

ZAGER, R.A. See J.A. Lindsey

Subjects

A

ACETATE, incorporation, rat liver sterols, 668
incorporation, rat renal cortex NL, PL, glycolipid, 696
inhibition of rat heart lipase activity, 408
ACETOACETATE, lipid synthesis from, in developing rat lung in vitro, 295
ACETYLATION, sphingosine, N-acylsphingosine, α-hydroxy-N-acylsphingosine, GRO
ACETYL CARNITINE, inhibition of rat heart lipase activity, 408
ACETYL CoA CARBOXYLASE, effect of dietary PUFA on lipogenesis, 820
ACETYL-D,L-THIOLCARNITINE, synthesis and biological activity, 382
ACETYLENIC ACID, content *Ixiolaena brevicompta*, seed oil, 103
ACONITASE, lipid accumulation, oleaginous yeast, 630
ACYL-CoA CHOLESTEROL ACYLTRANSFERASE, activity, organs, cholesterol-fed guinea pig, 18
ACYLGLYCEROLS, hydrolysis, lipases, detection, determination, 650
of thermally oxidized vegetable oils, hydrolysis, 402
ACYLHYDROPEROXIDES, analysis by HPLC, 204
N-ACYLSPHINGOSINE, acetylation, NMR analysis, GRO
ACYLTRANSFERASE, acyl-CoA cholesterol, activity, organs, cholesterol-fed guinea pig, 18
diacylglycerol, spinach leaves, partial purification, characterization, 1
ADENINE NUCLEOTIDE TRANSLOCASE, effect of dietary linoleic acid on kinetics, 130
ADENOSINE TRIPHOSPHATE, inhibition of rat heart lipase activity, 408
ADENYLATE CYCLASE, rat, diabetes mellitus, 696
ADIPATE, dioctyl, dietary, effect on cholesterol, phospholipid metabolism, rat liver, 211
ADIPOCYTES, epididymal fat pads, mouse, heterogeneous labeling, 25
metabolism of erucic acid, 137
ADIPOSE, rat, bromine content following feeding of brominated corn oil or monoglycerides, 327
rat, lipid bromine levels, animals fed brominated corn oil, dibromo- or tetrabromostearate, 319
ADIPOSE TISSUE, lipase, specificity, determination of, 239
murine, FA composition of, transplanted between lean and obese, 776
rat, incorporation of oral squalene into squalene, methyl sterols, cholesterol, 233
rat, relative contribution to fatty acid synthesis in vivo, 223
rat, squalene-fed, squalene and sterol content, 32
ADRENAL, guinea pig, cholesterol, cholesteryl ester content, control and cholesterol-fed, 18
ADRENAL CORTEX, bovine, membranes, cholesterol, phospholipids, 577
ADRIAMYCIN, effect on tumor cell membrane properties, 475
AGGREGOMETER, analysis of platelets, gerbil, arachidonic acid effects, 859
Agrobacterium tumefaciens, phospholipids, Ti plasmid, 602
ALCOHOLS, fatty, content, sea anemone, effect of season, 12
ALDEHYDE ESTERS, identification in autoxidized fats, 353
ALGA, *Bumilleriopsis*, peroxidative formation of C_3 hydrocarbons, 37
ALKANDIOLS, analysis of, sapropels, 902
ALKAN-15-ONE-OLS, analysis of, sapropels, 902
ALKENYLACYL PHOSPHOLIPIDS, composition, content, rabbit alveolar macrophages, 125
1-O-ALKYL-2-O-ACETYL-sn-GLYCERO-3-PHOSPHOCHOLINE, platelet activating factor, 845
ALKYLACYLGLYCEROLS, use to determine lipase specificity, 313
ALKYLACYL PHOSPHOLIPIDS, composition, content, rabbit alveolar macrophages, 125
Δ^{25}-ALKYLSTEROLS, conversion to $\Delta^{24(28)}$-sterols in Cucurbitaceae, 302
ALVEOLAR MACROPHAGES, rabbit, phosphoglyceride content and composition, 125
AMINO ACIDS, of *Euglena gracilis*, 539
ANEMONE, sea, characterization, lipid, fatty acid, lipid metabolism, 12
ANOREXIA NERVOSA, hypercarotenemic patient, determination by HPLC, 253
ANTIOXIDANTS, effect on photooxidation of fatty acids, 259
in HPLC of vitamins A and E, 837
AORTA, guinea pig, cholesterol, cholesteryl ester content, control and cholesterol-fed, 18
guinea pig, smooth muscle cells, effects of cyclosporin-A, 566
rabbit, atherosclerosis, enzyme activity, effect of dietary restriction, cholesterol fed, 306
rat, ovariectomized, diet- and hormone-induced cholesterol deposition, 753
AORTIC SMOOTH MUSCLE CELLS, rat, metabolism, arachidonic acid, effect of eicosapentanoic acid, 42
APOLIPOPROTEIN A-I, content, rat serum, effect of dietary fat, cholesterol, *trans* fatty acids, 186
APOLIPOPROTEIN B, content, rat serum, effect of dietary fat, cholesterol, *trans* fatty acids, 186
APOLIPOPROTEIN E, content, rat serum, effect of

dietary fat, cholesterol, *trans* fatty acids, 186
APOLIPOPROTEINS, content, rat serum, effect of dietary fat, cholesterol, *trans* fatty acids, 186
ARACHIDIC ACID, composition, cocoa beans, temperature effects, 863
ARACHIDONATE, photooxidation, effect of antioxidants, 259
prevention of fatty liver induced by fat-free ethanol-containing diet, 285
ARACHIDONIC ACID, effect of dietary fatty acids on biosyntheses, 781
effect on guinea pig smooth muscle cell proliferation, 349
effect on human macrophages, 493
effect on prostaglandin biosynthesis, 349
iodination by iron/H_2O_2/iodide system, 390
metabolism, effect of eicosapentanoic acid, platelets, smooth muscle cells, 42
metabolism, incorporation into phospholipids, rat platelets, 859
polyenoic acid synthesis, cultured mouse spermatocytes, 275
tissue composition, fish, 877
AROCLOR 1242, behavior in simulated intestinal content, 216
ARRHENIUS PLOT, adenylate cyclase, renal, diabetic rat, 696
Na^+, K^+-ATPase, renal, diabetic rat, 696
ARRHYTHMIA, phospholipids in ischemic canine myocardium, 677
ASCLEPIC ACID, nomenclature, 913
ASCORBIC ACID, effect on in vivo lipid peroxidation, vitamin C deficient guinea pig, 271
ATHEROGENICITY, molecular species in peanut oil, 842
randomized peanut oil, 842
ATHEROSCLEROSIS, induced by dietary restriction, cholesterol-fed rabbits, 306
ATP: CITRATE LYASE, lipid accumulation, oleaginous yeast, 630
AUTOMATION, fatty acid analysis, 453
fatty acid data management, 460
AUTORADIOGRAPHY, paper chromatography, choline kinase reaction products, 727
AUTOXIDATION, fats, analysis of decomposition products, 353
phenyl oleate and phenyl linoleate, 706
Avena sativa. See oat
Avena sterilis. See oat
AVENASTEROL, beet leaves, content, GLC, HPLC, NMR, 229

B

BEEF, fatty acids of neutral and polar lipids, 453
BEEF TALLOW, dietary, effect on mitochondrial respiration, 130
Benecke harveyi, lipase, detection, determination, 650
BENZANTHRACENE, 7,12-dimethyl, behavior in simulated intestinal content, 216
BENZOPYRENE, behavior in simulated intestinal content, 216
Beta vulgaris, leaves, sterol composition, 229
BHA. See butylated hydroxyanisole
BHT. See butylated hyroxytoluene
BILE, ox, binding by chitosan, 714
rat, steroid excretion, effect of dietary cholesterol, fat, *trans* fatty acids, 186
BILE ACIDS, conjugated, separation by HPLC, analysis by mass spectrometry, 90
effect of dietary fats on biliary excretion, rat, 186
fecal from squalene or cholesterol precursor, 233
GC of methylester dimethylethylsilyl derivatives, 789
isolation from rat hepatocytes, 443
incorporation of dietary squalene, rat, 233
metabolism in rat, effect of dietary *trans* unsaturated fatty acids, 375
prairie dog liver, metabolism, chromatography, 909
rat, fecal, effect of dietary squalene, 32
synthesis in rat hepatocytes, 443
treatment of cholesterol gallstones, 789
turnover, humans with cholelithiasis, effect of chenodeoxycholic acid, 119
BILE SALT-LIPID, emulsion, behavior of xenobiotic hydrocarbons, 216
BILE SALTS, binding by chitosan, 714
stimulation of lipase in human milk, 393
BLASTOGENESIS, lymphocyte, in mouse, effect of dietary fat, 468
BLEACHING, of *Euglena gracilis*, effect on lipids and proteins, 539
BOVINE PLASMA LIPOPROTEINS, ultracentrifugation vs gel filtration, 795
BOVINE PULMONARY SURFACTANT, chemical composition and physical properties, 522
isolation, 522
BRAIN, rat, effect of soybean and evening primrose oil and fatty acid profile, 760
rat, relative contribution to fatty acid synthesis in vivo, 223
BRASSICASTEROL, separation, reversed-phase TLC, 87
BROMINATED CORN OIL, dietary, rat, toxicology, metabolite concentration, 327
BROMINATED FATTY ACIDS, dietary, rat, effect on tissue lipid bromine levels, 319
dietary, rat, toxicology, metabolite concentration, 327
toxicology, metabolite concentration, rat heart, liver, 327
BROMINATED LIPIDS, neutron activation analysis, 319
BROMINATION, corn oil, oleic acid, linoleic acid, 319
BROMINE, lipid of rats fed brominated corn oil, dibromo- or tetrabromostearate, 319
26-BROMOCHOLESTEROL, HPLC, TLC, NMR, mass spectra, 772
BUTYLATED HYDROXYANISOLE, effect on photooxidation of fatty acids, 259
BUTYLATED HYDROXYTOLUENE, effect on photooxidation of fatty acids, 259
inhibition of lactoperoxidase-catalyzed lipid peroxidation, 204

C

Calynx niceaensis. See SPONGE
CAMPESTEROL, separation, reversed-phase TLC, 87
Candida curvata, growth, fat production, fatty acid profile, carbon sources, 623
Candida cylindracea, lipase, detection, determination,

650
lipase, specificity, determination of, 239
Candida lipolytica, lipase, detection, determination, 650
CANINE HEART, myocardial PL, ischemic, acute arrhythmia, 677
CAPELIN OIL, hydrogenated, dietary, rat, effect on serum lipids, mitochondrial function, composition, 151
hydrogenated, in diet, fatty acid composition, monounsaturated isomers, 151
partially hydrogenated, dietary, effect on fatty acid desaturation, rat liver, 171
CARBON TETRACHLORIDE, induced lipid peroxidation in vivo, effect of vitamin C, 271
CARCINOMA, mammary, cholesterogenesis, 641
CARDIAC MYOCYTES, rat, metabolism of FA, glycerol and MG analogue, 808
CARDIOLIPIN, content, composition, rabbit alveolar macrophages, 125
CARDIOLIPIN, content, rat heart mitochondria, effect of dietary partially hydrogenated marine oil, 151
of *Tetrahymena* ISO cells fed isovalerate, 423
CARNITINE, acetyl, inhibition of rat heart lipase activity, 408
thiolesters, synthesis and biological activity, 382
α-CAROTENE, determination in human serum, 253
β-CAROTENE, determination in human serum, 253
destruction, sensitive measure by lactoperoxidase, 198
effect on in vivo lipid peroxidation, vitamin C deficient guinea pig, 271
CAROTENEMIC, hyper-, anorexia nervosa patient, determination by HPLC, 253
CELL CULTURE, guinea pig peritoneal macrophages, 493
human peripheral blood monocytes, 493
smooth muscle cells from guinea pig aorta, 349
yeast, 545
CELLS, germinal, arachidonic acid metabolism, in culture, 275
CERAMIDE AMINOETHYL PHOSPHONATE, content, sea anemone, effect of season, 12
CERAMIDES, sponge, isolation and composition analysis, 889
MS, wax ester analysis, 68
CHENODEOXYCHOLIC ACID, effect of dietary fats on biliary excretion, rat, 186
effect on cholesterol, bile acid turnover, humans with cholelithiasis, 119
synthesis in rat hepatocytes, 443
treatment of cholesterol gallstones, 789
CHICKEN, effect of dietary garlic on lipid metabolism, 343
CHITOSAN, binding of micellar lipids, 714
partially deacylated chitin, hypocholesterolemia, 714
6-CHLOROCHOLESTEROL, effect on oospore formation in *Phytophthora cactorum*, 358
CHLOROPLASTS, of *Euglena gracilis*, glycolipids and thylakoid proteins, 539
CHLORPROMAZINE, sterologenesis inhibition, site, rat liver, 668
CHOLANTHRENE, 3-METHYL, behavior in simulated intestinal content, 216
CHOLATE, binding by chitosan, 714
CHOLELITHIASIS, in humans, cholesterol, bile acid turnover, effect of chenodeoxycholic acid, 119
CHOLEST-5-EN-3β-OL, 24-METHYL-, beet leaves, content, GLC, HPLC, NMR, 229
CHOLESTA-5,22-DIEN-3β-OL, 24-ETHYL-, beet leaves, content, GLC, HPLC, NMR, 229
CHOLESTA-5,25-DIENE-3β-OL, HPLC, TLC, NMR, MS, 772
CHOLESTA-5,7-DIENOL, occurrence in sponge, 193
CHOLESTA-5,22-DIENOL, occurrence in sponge, 193
CHOLESTA-5,7,22-TRIENOL, occurrence in sponge, 193
CHOLESTANOL, composition of tunicate cilia, 900
effect on oospore formation in *Phytophthora cactorum*, 358
separation, reversed-phase TLC, 87
CHOLESTENOL, separation, reversed-phase TLC, 87
CHOLESTEROGENESIS, assay, digitonin-precipitable sterols, 641
rat liver, effect of dietary plasticizer, 211
rat liver, inhibition by chlorpromazine, 668
CHOLESTEROL, analysis, response factors, TLC-flame ionization detection, 74
assay, orthophthaldehyde method, 673
biosynthesis, acetate, mevalonate, rat liver, 668
biosynthesis, assay, digitonin-precipitable sterols, 641
bovine adrenal cortex membranes, 577
composition of tunicate cilia, 900
content, freshwater molluscs, 100
content, human milk, 264
content, rat heart mitochondria, effect of dietary partially hydrogenated marine oil, 151
content, rat serum, effect of dietary fat, cholesterol, *trans* fatty acids, 186
deposition, effect of diet and hormones in ovariectomized rats, 753
dietary, absorption and metabolic fate, rat, 233
dietary, and effects of *trans* unsaturated fat, 375
dietary, rat, effect on biliary and fecal steroid excretion, 186
effect of dietary fats on biliary and fecal excretion, rat, 186
effect on water and solute transport in rat jejunum, 428
esterifying capacity, various organs, guinea pig, 18
fecal from squalene or cholesterol precursor, 233
free, in VLDL, LDL, HDL, rabbits fed standard or cholesterol-rich diet, 306
HPLC, TLC, NMR, MS, 772
human plasma, effect of 6, 9, 12-octadecatrienoic acid, 558
human serum, and low density lipoprotein density, 553
incorporation into bile acids by rat hepatocytes, 443
inhibition of biosynthesis in chicken by dietary garlic, 343
in mouse peritoneal macrophage and tumoricidal activity, 483
in *Saprolegnia ferax*, 448
ischemic canine heart, 677
liver, sucrose-fed rats, effect of clofibrate, chroman analogs, 59
metabolism, disturbances, induced by dietary restriction, cholesterol-fed rabbit, 306
metabolism in rat, effect of dietary *trans* unsaturated fatty acids, 375
metabolism in rat jejunal mucosa, 530
occurrence in sponge, 193
plasma, iron-deficient rats, 673
plasma, rat, effect of dietary plasticizer on, 211

rat lung in vitro, biosynthesis from acetoacetate, glucose, 295
serum, liver, sucrose-fed rat, effect of clofibrate, chroman analogs, 59
serum, rat, effect of diets containing partially hydrogenated marine oil, 151
serum, sucrose-fed rat, effect of clofibrate, chroman analogs, 59
synthesis, bile acid feeding, 789
synthesis from acetate, mevelonate, rat liver, effect of dietary plasticizer, 211
turnover, effect of dietary restriction, rabbit fed standard or cholesterol-rich diet, 306
turnover, humans with cholelithiasis, effect of chenodeoxycholic acid, 119
CHOLESTEROL ACYLTRANSFERASE, Acyl-Co-A, activity, organs, cholesterol-fed guinea pig, 18
CHOLESTEROL GALLSTONES, bile acid treatment, 789
CHOLESTEROL-RICH DIET, rabbit, atherosclerosis, disturbed cholesterol metabolism, dietary restriction, 306
CHOLESTERYL ESTERS, analysis, response factors, TLC-flame ionization detection, 74
assay, orthophthaldehyde method, 673
fasting pony serum, fatty acids, 397
hepatic, rat, effect of fat-free ethanol-containing diet, arachidonate supplementation, 285
in VLDL, LDL, HDL, rabbits fed standard or cholesterol-rich diet, 306
iron-deficient rats, 673
mouse testes and isolated cells, fatty acid distribution, arachidonate metabolite incorporation, 275
rat lung in vitro, biosynthesis from acetoacetate, glucose, 295
CHOLIC ACID, effect of dietary fats on biliary and fecal excretion, rat, 186
synthesis in rat hepatocytes, 443
treatment of cholesterol gallstones, 789
CHOLINE KINASE, in filamentous, pathogenic fungi, 727
CHOLINE PHOSPHOGLYCERIDES, content, composition, rabbit alveolar macrophages, 125
CHOLINEPHOSPHOTRANSFERASE ACTIVITY
human platelets, properties, 179
CHONDRILLASTEROL, NMR, spectra, 229
CHROMAN ANALOGS, effect on serum lipids, liver enzymes, sucrose-fed rat, 59
CHROMANOXYL RADICALS, electron spin resonance spectra, 81
CHROMAROD, boric acid NL, FID quantitation, MG, DG, TG, FA, 732
lipid separation, response factors, evaluation, 74
CHROMATOGRAPHY, AGAROSE, bovine lipoproteins, 795
CHROMATOGRAPHY CHROMAROD, boric acid, TLC of NL and FID quantitation, 732
effect of developing solvents on lipid class qualification, 563
lipids of striped bass eggs, 510
CHROMATOGRAPHY, COLUMN, isolation, glycerol ethers, sponge lipids, 107
isolation of phospholipids, goats' milk, 55
lipid classes of yeast, 545
lipid extracts, sponge, 889
lipids from human and guinea pig cell cultures, 493
thermally oxidized sunflower oil, 611
CHROMATOGRAPHY, GAS LIQUID, alkandiols and keto-ols, 902
analysis of desmosterol, human milk, 264
assay of lipases, 650
bile acids, 789
branched cyclopropane fatty acids, 607
columbinic acid, 820
composition, characteristics, 4-desmethylsterols from beet leaves, 229
5,8,11-eicosatrienoic acid, 894
human palmar fat, 371
hydrocarbons and terpenes from *Hypericum ericoides*, 439
isopropylidene glyceryl ethers, 814
methyl esters, goats' milk, phospholipids, 55
methyl esters of brominated fatty acids, 319
methyl esters of sea anemone lipids, 12
MS, identification of fatty acids from *Tetrahymena* ISO, 423
MS, volatile decomposition products of hydroperoxy cyclic peroxides, 353
neutral and acidic steroid derivatives, 186
phenyl oleate and linoleate, 706
prostaglandin-like fatty acid, 617
rat renal PL-FAME, 696
seed oil fatty acids, acetylenic, 103
sterols of *Saprolegnia ferax*, 448
volatile peroxidation products, 37
wax esters, 68
CHROMATOGRAPHY, GAS LIQUID, CAPILLARY, fatty acid data management, 460
fatty acids in rat tissue phospholipids, 412
fatty acids of beef tissue and data handling, 453
gel filtration, isolation of bovine lipoproteins, 795
gel filtration, proteins of *Euglena gracilis*, 539
methyl linoleate, oxidation products of, 868
neutral lipids of bovine pulmonary surfactant, 522
sterols, freshwater molluscs, 100
sterols of *Lephogorgia subcompressa*, 570
very long chain α-methoxy fatty acids, 830
CHROMATOGRAPHY, GAS LIQUID, FATTY ACIDS, alcohols, orange roughy, 585
and sterols of yeast, 545
cyclopropenoid, 589
fish, 877
of bovine pulmonary surfactant, 522
of ciliary phospholipids, 900
of *Euglena gracilis*, 539
of fasting pony serum, 397
of rat erythrocytes and plasma, 363
of rat macrophages, 514
of striped bass eggs, 510
of *Tetrahymena* ISO, 423
CHROMATOGRAPHY, GAS LIQUID, FAME, 760, 781
cod gill microsomal PL, 720
dogfish rectal gland microsomal PL, 720
fish, 743
human plasma, 906
CHROMATOGRAPHY, GAS LIQUID, MS, alkandiols and keto-ols, 902
fatty acids, ceramides, sphingosines, sponge, 889
fatty acids, tunicate cilia, 900
very long chain α-methoxy fatty acids, 830

CHROMATOGRAPHY, HIGH PERFORMANCE LIQUID, bile acids, 909
fatty acid positional and geometric isomers, 151
isomeric lysophosphatidylcholines, 434
lipids, plasma and red cell membranes, 906
lycopene, α and β-carotene, retinyl esters, determination, 253
mouse peritoneal macrophage, 483
of iodination products from arachidonic acid, 390
phenyl oleate and linoleate, autoxidation products, 706
phospholipids and platelet-activating factor, 534
PL molecular species, 814
polyunsaturated fatty acids, marine organisms, 853
preparative, wax esters, 68
prostaglandin-like fatty acid, 617
prostaglandins, diene and triene, 682
separation, 4-desmethylsterols from beet leaves, 229
separation of acylhydroperoxides, 204
separation of human conjugated bile acids, 90
separation, quantitation, mitochondrial PC, PE, NL, 130
sterols, 772
sterols of yeast, 545
tumor cell lipids, 475
very long chain α-methoxy fatty acids, 830
vitamins A and E, inclusion of antioxidants, 837
CHROMATOGRAPHY, ION EXCHANGE, assay of lipases, 650
CHROMATOGRAPHY, PAPER, choline kinase reaction products, 727
CHROMATOGRAPHY, SEPHADEX, rat liver cytosol, 803
CHROMATOGRAPHY, THIN LAYER, assay of lipases, 650
bile acids, 909
carnitine compounds, 382
cellular lipids, 814
fasting pony serum lipids, 397
flame ionization detection, lipid analysis, 74
glycolipids of *Euglena gracilis*, 539
human palmar fat, 371
isolation, choline glycerophospholipid, human platelets, 179
isolation of diacyl, alkenylacyl derivatives of phosphoglycerides, 125
isolation of rat heart mitochondrial phospholipids, 151
isolation of rat liver phospholipids, 142
isolation of sulfolipids from salivary gland, 146
lipids from striped bass eggs, 510
lipids of bovine pulmonary surfactant, 522
lipids of rat macrophages, 514
lipids, orange roughy, 585
methyl linoleate, oxidation products of, 868
neutral, polar lipids, sea anemone, 12
oleate and linoleate, autoxidation products, 706
phosphatidylinositol, 682
phospholipids, 760
phospholipids, cod gill microsomes, 720
phospholipids, dogfish rectal gland microsomes, 720
phospholipids, human plasma, 906
phospholipids in rat tissue, 412
phospholipids, platelet membrane lipids, 859
polar and nonpolar lipids, two-dimensional, 387
preparative, wax ester purification, 68
prostaglandin-like fatty acid, 617
rat renal PL, 696
reversed-phase, methyl esters from alga lipids, 37
reversed-phase, sterols, 87
separation, lipids, alga, 37
separation of phosphatidylinositol, phosphatidylserine, 42
sterols, 772
sterols from *C. maxima* seedlings, 302
sterols, human milk, isolation, 264
three-directional, lipids, 896
triglycerides, oat, 882
CHROMATOGRAPHY, THIN LAYER, ARGENTATION, isolation acetylenic fatty acids, 103
methyl esters from alga lipids, 37
separation of unsaturated wax esters, 68
sterols, derivatives, 641
steryl acetate derivatives, 302
very long chain α-methoxy fatty acids, 830
CILIA, tunicates, phospholipid and sterol content, fatty acids, 900
Cinachrya alloclada, occurrence of 17Z-tetracosenyl-1-glycerol ether, 107
Ciona intestinalis. See tunicate
CIRCULAR DICHROISM, characterization, phosphatidylcholine-β-lactoglobulin vesicles, 111
CITRATE CLEAVAGE ENZYME, effect of dietary PUFA on lipogenesis, 820
lipid accumulation, oleaginous yeast, 630
CITRATE SYNTHASE, lipid accumulation, oleaginous yeast, 630
CLOFIBRATE, effect on serum lipids, liver enzymes, sucrose-fed rat, 59
COCOA BEANS, lipid composition, temperature effects, 863
COD, gills, microsomal lipids, PC, PE, PS, PI fatty acid profile, 720
osmoregulation, ω3, ω6 PUFA, 720
COLUMBINIC ACID, effect on lipogenesis in murine liver and mammary gland, 820
COPROSTANOL, effect of dietary fat on fecal excretion, rat, 186
fecal from squalene or cholesterol precursor, 233
CORN OIL, brominated, dietary, rat, toxicology, metabolite concentration, 327
bromination, 319
COTTONSEED, cyclopropenoid fatty acid distribution, 589
CREPENYNIC ACID, content *Ixiolaena brevicompta*, seed oil, 103
Cucurbita maxima, conversion of cyclolaudenol to 24α-, 24β-ethylsterols, 302
CULTURE, organ, mammary gland, lactating mouse, lipid synthesis, 335
CYCLOARTENOL, separation, reversed-phase TLC, 87
CYCLOLAUDENOL, conversion to 24α- and 24β-ethylsterols in Cucurbitaceae, 302
preparation from corresponding 3-ketone derivative, 302
CYCLOPROPENOID FATTY ACIDS, cyclopropenoid, cottonseed, distribution, GLC, 589
CYCLOSPORIN-A, effect on endogenous fatty acid release, 566
effect on proliferation of guinea pig aorta smooth muscle cells, 566
effect on prostanoid biosynthesis, 566

Cynomys ludovicianus. See prairie dog
CYTOCHROME, NADH reductase, assay, liver microsomes, effect of environmental temperature, 7
CYTOTOXICITY, lymphocyte, in mouse, effect of dietary fat, 468

D

DEMOSPONGE, α-methoxy fatty acids, 830
DEOXYCHOLIC ACID, effect of dietary fats on biliary and fecal excretion, rat, 186
metabolism, liver, prairie dog, 909
DERMATOPHYTES, filamentous, pathogenic fungi, choline kinase, 727
DESATURASE, Δ 9-, activity, rat lung, effect of age, 50
Δ5-, Δ6-, assay, 760
fatty acid, assay, rat liver, 7
Δ5-, rat, hepatic, effect of dietary FA, 781
rat liver, effect of environmental temperature, sex, 7
stearoyl-CoA, housefly, distribution, half-life, 595
DESATURATION, fatty acid, rat liver, effect of dietary partially hydrogenated marine oils, 171
DESMETHYLSTEROLS, isolation by TLC, 302
4-DESMETHYLSTEROLS, beet leaves, content, GLC, HPLC, NMR, 229
DESMOSTEROL, in human milk, identification, quantitation, 264
in *Saprolegnia ferax*, 448
occurrence in sponge, 193
DIABETES MELLITUS, renal PL-FAME profile, rat, 696
DIABETIC RAT, streptozotocin-induced, altered microsomal phospholipid composition, 339
DIACYLGLYCEROL, adipocytes, incorporation of erucic acid, 137
containing arachidonate, effect on ion transport, 96
content, sea anemone, effect of season, 12
effect on choline phosphoglyceride synthesis, human platelets, 179
mouse testes and isolated cells, fatty acid distribution, arachidonate metabolite incorporation, 275
rat lung in vitro, biosynthesis from acetoacetate, glucose, 295
spinach leaves, content, fatty acid profile, 1
DIACYLGLYCEROL ACYLTRANSFERASE, spinach leaves, partial purification, characterization, 1
DIBUTYRYL CYCLIC AMP, stimulation of bile acid synthesis in rat hepatocytes, 443
DIET, cholesterol-rich rabbit, atherosclerosis, disturbed cholesterol metabolism, dietary restriction, 306
DIETARY SQUALENE, effect on tissue sterols, fecal bile acids, rat, 32
DI(2-ETHYLHEXYL) ADIPATE, dietary, effect on cholesterol, phospholipid metabolism, rat liver, 211
DIGITONIN, cholesterol precipitation, cholesterogenesis, 641
DIGLYCERIDES, boric acid chromarods, FID quantitation, 732
22-DIHYDROCHONDILLASTEROL, NMR spectra, 229
DIHYDROLANOSTEROL, lipoproteins, rat, squalene-fed, 32
separation, reversed-phase TLC, 87
DIHYDROPEROXIDES, oxidation products of methyl linoleate, 868
22-DIHYDROSPINASTEROL, beet leaves, content, GLC, HPLC, NMR, 229
DIHYDROSTERCULIC ACID, cyclopropenoid, cottonseed, distribution, GLC, 589
2,3-DIMERCAPTO-1-PROPANOL TRIBUTYRYL-GLYCEROL, substrate, lipase assay, 650
DIMERS, thermally oxidized sunflower oil, lipolysis, pancreatic lipase, 611
7,12-DIMETHYLBENZANTHRACENE, behavior in simulated intestinal content, 216
DIMETHYLSTEROL, monounsaturated, lipoproteins, rat, squalene-fed, 32
DIOCTYLADIPATE, dietary, effect on cholesterol, phospholipid metabolism, rat liver, 211
DOGFISH, rectal glands, ω3,ω6 PUFA, 720
DUPUYTREN'S DISEASE, and lipid metabolism, 371
Dysidea etheria. See sponge

E

ECHIDNA, milk, TG, stereospecific analysis, 845
EGGS, striped bass, lipid classes and fatty acids, 510
EICOSAPENTAENOIC ACID, effect on arachidonic acid metabolism, platelets, smooth muscle cells, 42
EICOSATETRAENOIC ACID, effect on guinea pig smooth muscle cell proliferation, 349
EICOSATRIENOIC ACID, cholesteryl esters, iron-deficient rats, 673
5,8,11-EICOSATRIENOIC ACID, potentiating effect on human platelet aggregation, 291
synthesis, 894
8,11,14-EICOSATRIENOIC ACID, rat hepatic microsomal Δ5 desaturase, 781
5,8,11-EICOSATRIYONIC ACID, synthesis, 894
ELASMOBRANCHS, osmoregulation and ω3,ω6 PUFA, 720
ELECTROLYTES, absorption in the rat, 428
ELECTROPHORESIS, disc polyacrylamide gel, bovine lipoproteins, 795
polyacrylamide gel, proteins of bovine pulmonary surfactant, 522
polyacrylamide gel, proteins of *Euglena gracilis*, 539
Eleocharis microcarpa, prostaglandin-like fatty acid, 617
EMULSIONS, bile salt-lipid, preparation, 216
ENZYMES, chicken liver, effect of dietary garlic, 343
Epidemophyton floccosum, filamentous, pathogenic, fungi, choline kinase, 727
EPIDIDYMAL FAT PADS, adipocytes, heterogeneous labeling by in vivo-in vitro technique, 25
rat, adipocytes, metabolism of erucic acid, 137
EPIDIOXIDES, hydroperoxy, volatiles from thermal decomposition, 353
EPINEPHRINE, effect on tumor cell membrane properties, 475
ERGOSTEROL, yeast, synthesis and metabolism, 545
ERUCIC ACID, metabolism in isolated adipocytes, 137
ERYTHROCYTES, rat, fatty acid composition, 363
ESSENTIAL FATTY ACIDS, deficiency, rat, urinary prostaglandin E_2 and vasopressin, 682
deficiency, rat, water consumption, 18:3ω3 supplemented, 682
effect on immune responsiveness in the mouse, 468
ESTERASE, pregastric, specificity, determination of, 239
specificity, determination of, 239
ESTERS, lipid, TLC, 387

methyl, analysis, response factors, TLC-flame ionization detection, 74
wax, analysis by chemical ionization mass spectroscopy, 68
ESTRADIOL, effect on cholesterol deposition in tissues of ovariectomized rats, 753
ETHANE, production, measure of in vivo lipid peroxidation, 271
ETHANOL, carbon source, oleaginous yeast, 623
induced fatty liver, prevention by arachidonate, fat-free diet, 285
ETHANOLAMINE PHOSPHOGLYCERIDES, content, composition, rabbit alveolar macrophages, 125
ETHER PHOSPHOLIPIDS, human platelets, arachidonate distribution, 814
ETHERS, diacylglycerol, content, sea anemone, effect of season, 12
24-ETHYLCHOLESTA-5,7-DIENOL, occurrence in sponge, 193
24-ETHYLCHOLESTA-5,22-DIENOL, content, freshwater molluscs, 100
occurrence in sponge, 193
24β-ETHYLCHOLESTA-7,25-DIEN-3β-OL, formation from cyclolaudenol in Cucurbitaceae, 302
24-ETHYLCHOLESTA-5,7,22-TRIENOL, occurrence in sponge, 193
24β-ETHYLCHOLESTA-7,22,25-TRIEN-3β-OL, formation from cyclolaudenol in Cucurbitaceae, 302
24-ETHYLCHOLEST-5-ENOL, content, freshwater molluscs, 100
occurrence in sponge, 193
(24E)-24-ETHYLIDENECHOLESTA-5,7,-DIENOL, occurrence in sponge, 193
ETHYLSTEROLS, 24α-, 24β-, formation from cyclolaudenol in Cucurbitaceae, 302
Euglena gracilis, lipids and proteins in chloroplasts and streptomycin-bleached lamellae, 539
EVENING PRIMROSE OIL, dietary effects, 558
tissue distribution of fatty acids in rat after feeding, 760

F

FAT, effect on immune responsiveness in the mouse, 468
effect on rat liver stearoyl-CoA desaturase activity in iron-deficient diets, 573, erratum 913
FAT, production, *C. curvata*, carbon sources, 623
rat epididymal, adipocytes, metabolism of erucic acid, 137
FAT PADS, epididymal, adipocytes, heterogeneous labeling by in vivo-in vitro technique, 25
mouse, adipocytes, heterogeneous labeling by in vivo-in vitro technique, 25
FATS, autoxidation, analysis of decomposition products, 353
FATTY ACID BINDING PROTEIN, transfer of 18:1 from microsomes to liposomes, 803
FATTY ACID HYDROPEROXIDES, analysis by HPLC, 204
FATTY ACID PROFILE, barramundi, muscle, 877
catfish, muscle, 877
C. curvata, carbon sources, 623
cholesteryl esters of fasting pony serum, 397
cilia, tunicate, 900
cocoa beans, temperature effects, 863
cod, 743
cod gill microsomal PC, PE, PS, PI, 720
data management, 460
dogfish rectal gland microsomal PC, PE, PS, PI, 720
EFA-deficient rat kidney lipids, 18:3ω3 supplemented, 682
fasting pony serum, 397
fish, muscle, 877
free fatty acids of fasting pony serum, 397
garfish, 743
gemfish, 743
glycerolipids, spinach leaves, 1
glycerolipids, wax esters, orange roughy, 585
glycolipids of *Euglena gracilis*, 539
groper, blue, 743
guinea pig peritoneal macrophages, effect of parenteral feeding of soybean oil emulsions, 493
hake, 743
human palmar fat, 371
Ixiolaena brevicompta seed oil, 103
kidneys, 820
livers of suckling mouse pups, effect of maternal diet, 820
monoglycerides from lipase-treated randomized peanut oil, 842
mullet, 743
mullet, muscle, 877
murine adipose tissue, transplanted, 776
murine liver, effect of dietary PUFA, 820
murine mammary gland of dietary PUFA, 820
octopus, 743
of thermally oxidized vegetable oils, 402
perch, 743
platelet PC, PE, human, 814
phospholipids in tissues of tumor-implanted rats, 412
phospholipids of bovine pulmonary surfactant, 522
phospholipids of fasting pony serum, 397
phospholipids of rat macrophages, 514
phospholipids, rat liver and erythrocytes, 363
plasma and red cell membranes, humans, 906
polar lipids, goats' milk, 55
protocols for obtaining from beef tissue samples, 453
queenfish, muscle, 877
queen scallop, 743
rat brain PE, 760
rat erythrocyte, plasma and liver, 363
rat heart PC, PE, DPG, 760
rat hepatic microsomes, effect of dietary lipid, 781
rat liver, adipose and kidney TG, 760
rat liver, dietary brominated fats, 661
rat liver PI, PE, PC, DPG effect of dietary lipid, 760
rat lung lipids, EFA-deficient, 18:3ω3 supplemented, 691
rat mast cell PE, PC, 737
rat milk, 363
rat peripheral lymphocyte PE, PC, 737
rat renal lipids, diabetes mellitus, 696
rat, renal PC, PE, PI, PS, diabetes, 696
rat testes PE, PC, 760
rat thymocyte PE, 737
red snapper, muscle, 877
salmon, 743
sand whiting, muscle, 877

school shark, 743
sea anemone total lipids, effect of season, 12
shrimp, 743
skippy, muscle, 877
snapper, 743
snook, 743
sponge, GC-MS, double-bond location, 853
spotted bat fish, muscle, 877
squid, 743
striped bass eggs, 510
Tetrahymena ISO and constituent phospholipids, 423
threadfin salmon, muscle, 877
trevally, muscle, 877
triglycerides, oat and soybean, 882
turbot, 743
various liver phospholipids, effect of dietary 13-*cis* retinoic acid, 142
whiting, 743
yeast sterol esters, 545
FATTY ACIDS, boric acid chromarods, FID quantitation, 732
branched, cyclopropane, GLC, MS, NMR, IR, 607
branched-chain, of *Tetrahymena* ISO, 423
brominated, dietary rat, effect on tissue lipid bromine levels, 319
brominated, dietary, rat liver fatty acid profile, 661
brominated, toxicology, metabolite concentration, rat heart, liver, 327
copper salt, assay of lipases, 650
cyclopropenoid, cottonseed, distribution, GLC, 589
data management, 460
determination in beef, protocols and data handling, 453
effects on cell proliferation in guinea pig cell cultures, 349
effect on prostaglandin biosynthesis, 349
free, analysis, response factors, TLC-flame ionization detection, 74
free, content, sea anemone, effect of season, 12
free, effect on hydrocarbon partition into bile salt-phospholipid emulsion, 216
free, of fasting pony serum, 397
free, synthesis from acetate, rat liver, effect of dietary plasticizer, 211
hydroxy, content, polar lipids, goats' milk, 55
α-hydroxy, isolation and analysis, sponge, NMR, GC-MS, 889
marine organisms, polyunsaturated, GC-MS, CI-MS, 853
α-methoxy, PL of demosponge *Higginsia tethyoides*, 830
methylation, 453
of mouse peritoneal macrophage, and tumoricidal activity, 483
oxidation, effect of antioxidants, 259
polyunsaturated, alga, peroxidation, formation of C_3 hydrocarbons, 37
polyunsaturated, mechanism of effect on plasma cholesterol, 558
prostaglandin, *E. microcarpa*, 617
prostaglandin-like, GLC, TLC, HPLC, IR, NMR, MS, 617
rat, changes during early growth, 363
rat lung in vitro, biosynthesis from acetoacetate, glucose, 295
synthesis, rat, rate in vivo, incorporation of H_2O, 223
synthesis, rat, relative contribution of main tissues and organs, 223
trans, dietary, rat, effect on biliary and fecal steroid excretion, 186
trans unsaturated, effects on steroid metabolism and serum lipoproteins in rats, 375
volatile, of human palmar fat in Dupuytren's disease, 371
FATTY ACID SYNTHETASE, effect of dietary PUFA on lipogenesis, 820
liver, effect of environmental temperature, 7
FATTY ALCOHOL · PROFILE, wax esters, orange roughy, 585
FATTY LIVER, induced by fat-free ethanol diet, prevention by arachidonate, 285
FECAL NEUTRAL STEROLS, bile acid feeding, 789
FECOSTEROL, in *Saprolegnia ferax*, 448
yeast, synthesis and metabolism, 545
FIBROBLAST, human skin, cholesterogenesis, 641
FISH, marine, osmoregulation, ω3,ω6 PUFA, 720
various, fatty acid profile, 743, 877
FLAME IONIZATION DETECTION, lipids, after separation by TLC, 74
FREE FATTY ACIDS. See fatty acids, free
FROG SKIN, ion transport, effect of arachidonate containing, DG, PC, 96
FUCOSTEROL, in *Saprolegnia ferax*, 448
occurrence in sponge, 193
separation, reversed-phase TLC, 87
FUNGI, filamentous, pathogenic, *Epidermophyton floccosum, microsporum gypseum*, choline kinase, 727
FUNGICIDES. See triarimol and tridemorph
FUNGUS. See *Phytophthora cactorum*
See Saprolegnia ferax

G

GALLSTONES, cholesterol, bile acid treatment, 789
human, effect of chenodeoxycholic acid on cholesterol, bile acid turnover in patients, 119
GANGLIOSIDES, mouse neuroblastoma culture, assay, 664
mouse neuroblastoma culture, methylmercuric chloride, 664
GARLIC, extraction of polar lipids, 343
inhibition of cholesterol and fatty acid biosynthesis in chicken, 343
GDla. See gangliosides
GD3. See gangliosides
GEL FILTRATION, isolation of bovine lipoproteins, 795
Geotrichum candidum, lipase, detection, determination, 650
lipase, specificity, determination of, 239
GERBIL, platelets, thrombin-induced aggregation, phospholipid content, 859
GERMINAL CELLS, arachidonic acid metabolism, in culture, 275
GILLS, cod, microsomal lipids, PC, PE, PS, PI fatty acid profile, 720
GLUCOSE, absorption in the rat, 428
carbon source, oleaginous yeast, 623
lipid synthesis from, in developing rat lung in vitro, 295

GLUCOSE-6-PHOSPHATE DEHYDROGENASE, effect of dietary PUFA on lipogenesis, 820
lipid accumulation, oleaginous yeast, 630
GLUTATHIONE, effect on in vivo lipid peroxidation, vitamin C deficient guinea pig, 271
GLYCEROL, release, assay of lipases, 650
GLYCEROL ETHER, 17Z-tetracosenyl, occurrence, sponges, 107
perfused rat heart, 808
Glycine max. See soybean
Glycine soya. See soybean
GLYCOCHENODEOXYCHOLIC ACID, human bile, separation by HPLC, analysis, mass spectrometry, 90
GLYCOCHOLATE, binding by chitosan, 714
GLYCOCHOLIC ACID, human bile, separation by HPLC, analysis, mass spectrometry, 90
GLYCODEOXYCHOLIC ACID, human bile, separation by HPLC, analysis, mass spectrometry, 90
GLYCOLIPIDS, goats' milk, content and fatty acid composition, 55
in *Euglena gracilis*, 539
role in myxovirus-induced membrane fusion, 489
GLYCOLITHOCHOLIC ACID, human bile, separation by HPLC, analysis, mass spectrometry, 90
GM1. See gangliosides.
GM2. See gangliosides
GM3. See gangliosides
GOATS' MILK, polar lipids, fatty acid composition, 55
GUINEA PIG, adrenal, cholesterol, cholesteryl ester content, control and cholesterol-fed, 18
aorta, cell culture, 349
aorta, cholesterol, cholesteryl ester content, control and cholesterol-fed, 18
aorta, smooth muscle cells, effects of cyclosporin-A, 566
aorta, smooth muscle cells, prostaglandin synthesis, 349
cholesterol esterifying capacity, various organs, 18
in vivo, lipid peroxidation, effect of vitamin C, 271
isolated ileum, biphasic action of platelet activating factor, 845
kidneys, cholesterol, cholesteryl ester content, control and cholesterol-fed, 18
liver, cholesterol, cholesteryl ester content, control and cholesterol-fed, 18
lungs, cholesterol, cholesteryl ester content, control and cholesterol-fed, 18
macrophages, effect of parenteral feeding, 493
plasma, HPLC of vitamins A and E, inclusion of antioxidants, 837
small intestine, cholesterol, cholesteryl ester content, control and cholesterol-fed, 18
spleen, cholesterol, cholesteryl ester content, control and cholesterol-fed, 18
stomach, cholesterol, cholesteryl ester content, control and cholesterol-fed, 18

H

HAMSTER, liver, steroid 12α-hydroxylase, 789
HEART, canine, PL alterations in ischemia, acute arrhythmia, 677
rat, effect of soybean and evening primrose oil on fatty acid profile, 760
rat, incorporation of oral squalene into squalene, methyl sterols, cholesterol, 233
rat, inhibition of lipase activity, 408
rat, lipid bromine levels, animals fed brominated corn oil, dibromo- or tetrabromostearate, 319
rat, marine oil, partially hydrogenated, effect on mitochondrial function, composition, 151
rat, metabolism of FA, glycerol and MG analogue, 808
rat microsomes, phosphatidylcholine, fatty acid profile, effect of environmental temperature, 7
rat, ovariectomized, diet- and hormone-induced cholesterol deposition, 753
rat, phospholipids and phospholipid fatty acids, 412
rat, relative contribution to fatty acid synthesis in vivo, 223
rat, toxicology of dietary brominated fatty acid or oil, metabolite concentration, 327
size, rat, effect of diets containing partially hydrogenated marine oil, 151
HEMOLYSIS, myxovirus-induced, inhibition of phospholipids and glycolipids, 489
HEPATIC, phospholipid, rat, effect of fat-free ethanol-containing diet, arachidonate supplementation, 285
HEPATIC CHOLESTERYL ESTERS, rat, effect of fat-free ethanol-containing diet, arachidonate supplementation, 285
HEPATIC TRIGLYCERIDE, rat, effect of fat-free ethanol-containing diet, arachidonate supplementation, 285
HEPATOCYTES, chicken, effect of garlic on metabolism, 343
rat, synthesis of bile acids, 443
Herpetomonas megaseliae, synthesis, branched cyclopropane fatty acids, 607
HERRING OIL, hydrogenated, dietary, rat, effect on serum lipids, mitochondrial function, composition, 151
hydrogenated, in diet, fatty acid composition, monounsaturated isomers, 151
partially hydrogenated, dietary, effect on fatty acid desaturation, rat liver, 171
HEXABROMOBIPHENYLS, effect on photooxidation of fatty acids, 259
HEXADECANONE, quantification by chromarod thin layer chromatography, 563
Higginsia tethyoides, α-methoxy fatty acids, 830
HISTOLOGY, ischemic canine heart, 677
Hoplostethus atlanticus. See orange roughy
HORMONES, effect on cholesterol deposition in tissues of ovariectomized rats, 753
effect on tumor cell membrane fluidity and surface charge, 475
HOUSEFLY, puromycin LD_{50}, 595
stearoyl-CoA desaturase, distribution, half-life, 595
HUMAN, blood platelets and plasma, metabolism of platelet-activating factor, 534
bronchoalveolar lavage fluid, analysis of lipids, 387
fatty acid profile, plasma and red cell membranes, 906
low density lipoprotein, correlation of structure with serum lipoprotein concentrations, 553
macrophages, effect of parenteral feeding, 493
milk, change in bile-salt stimulated lipase with time postpartum, 393
milk, change in lipid content with time postpartum,

393
milk, desmosterol, identification, quantitation, 264
milk, lipoprotein lipase, specificity, determination of, 239
palmar fat, lipid composition and lipid biosynthesis, 371
peripheral blood monocytes, effect of arachidonic acid, 493
plasma cholesterol, effect of 6, 9, 12-octadecatrienoic acid, 558
plasma, HPLC of vitamins A and E, inclusion of antioxidants, 837
platelets, aggregation, potentiating effect of 5,8,11-eicosatrienoic acid, 291
platelets, cholinephosphotransferase activity, properties, 179
platelets, ether PL, arachidonate distribution, 814
sebum, boric acid chromarod, FID quantitation MG, DG, TG, FA, 732
serum, determination of lycopene, α,β-carotene, retinyl esters, 253
HYDRALAZINE, effect on prostanoid biosynthesis, 349
HYDROCARBONS, in *Hypericum ericoides*, 439
xenobiotic, behavior in simulated intestinal content, 216
HYDROCORTISONE, effect on tumor cell membrane properties, 475
HYDROLYSIS, acylglycerols, lipases, detection, determination, 650
N - acylsphingosine, α - hydroxy - N - acylsphingosine, 889
triglycerides, soybean and oat, stereospecific analysis, 882
HYDROPEROXIDES, fatty acid, analysis by HPLC, 204
HPLC, phenyl oleate and linoleate, autoxidation products, 706
HYDROPEROXY CYCLIC PEROXIDES, oxidation products of methyl linoleate, 868
volatiles from thermal decomposition, 353
11 - HYDROXY - 14 - (3,5-DIHYDROXY-2-METHYLCYCLOPENTENYL) - TETRADEC - 9 - ENE - 12 - YNEOIC ACID, 617
HYDROXY FATTY ACIDS, content, polar lipids, goats' milk, 55
HYDROXYLATION, bile acids, liver, prairie dog, 909
α-HYDROXY-N-ACYLSPHINGOSINES, acetylation, NMR analysis, 889
3-HYDROXY-3-METHYLGLUTARYL CoA REDUCTASE, liver, sucrose-fed rats, effect of clofibrate, chroman analogs, 59
Hypericum ericoides, waxes and volatile oils, 439
HYPERLIPIDEMIA, LCAT in iron-deficient rats, plasma, 673
HYPERLIPOPROTEINEMIA, increase, induced by dietary restriction, cholesterol-fed rabbit, 306
HYPERTENSION, estrogens, 753
HYPERVITAMINOSIS A, determination by HPLC, 253
HYPOCHOLESTEROLEMIA, chitosan, 714
HYPOLIPIDEMIC DRUGS, effect on serum lipids, liver enzymes, sucrose-fed rat, 59

I

IATROSCAN, lipid analysis, critical evaluation, 74
ILEUM, isolated, guinea pig, biphasic action of platelet activating factor, 845
IMMUNE SYSTEM, human and guinea pig, effect of parenteral feeding of soybean oil emulsions, 493
IMMUNOASSAY, lipases, various umbelliferane. See 4-Methylcoumarin
IMMUNOCOMPETENT CELL POPULATIONS, rat, fatty acid profile, dietary α-linolenate, 737
IMMUNODIFFUSION, bovine lipoproteins, 795
IMMUNOELECTROPHORESIS, bovine lipoproteins, 795
rocket, enzyme assay, 820
INDOMETHACIN, effect on choline phosphoglyceride synthesis, human platelets, 179
effect on prostanoid biosynthesis, 349
INOSITOL PHOSPHOGLYCERIDES, content, composition, rabbit alveolar macrophages, 125
INTESTINAL MUCOSA, rat, squalene-fed, squalene and sterol content, 32
INTESTINE, rabbit, cholesterol content, effect of dietary restriction following standard or cholesterol diet, 306
rat, absorption and metabolism of dietary squalene, 233
rat, relative contribution to fatty acid synthesis in vivo, 223
small, guinea pig, cholesterol, cholesteryl ester content, control and cholesterol-fed guinea pig, 18
26-IODOCHOLESTEROL, HPLC, TLC, NMR, mass spectra, 772
IODOLACTONES, from iodination of arachidonic acid, 390
IONOPHORE A23187, platelet aggregation, potentiation by 5,8,11-eicosatrienoic acid, 291
ION TRANSPORT, effect of diacylglycerols, phosphatidylcholine, 96
IRON, deficiency, in rat, effect on hepatic stearoyl-CoA desaturase activity, 573, erratum 913
IRON DEFICIENCY, plasma LCAT in rats, 673
ISCHEMIA, canine myocardial PL, 677
ISOASCORBIC ACID, effect on in vivo lipid peroxidation, vitamin C deficient guinea pig, 271
ISOCITRATE DEHYDROGENASE, lipid accumulation, oleaginous yeast, 630
ISOFUCOSTEROL, occurrence in sponge, 193
ISOMERS, fatty acids, effect on steroid metabolism and serum lipoproteins in rat, 375
ISOVALERATE, effects on fatty acids and phospholipids of *Tetrahymena* ISO, 423

J

JEJUNAL MUCOSA, rat, sterol synthesis from biliary squalene, 530
JEJUNUM, rat, water and solute transport, 428

K

KALLIKREIN, assay, rat urine, EFA-deficient, 18:3ω3 supplemented, 682
6-KETOCHOLESTANOL, effect on oospore formation in *Phytophthora cactorum*, 358
7-KETOCHOLESTEROL, separation, reversed-phase TLC, 87
KETO ESTERS, oxidation products of methyl linoleate,

868
KETOLITHOCHOLIC ACID, effect of dietary fats on biliary and fecal excretion, rat, 186
KIDNEY, guinea pig, cholesterol, cholesteryl ester content, control and cholesterol-fed, 18
rat, bromine content following feeding of brominated corn oil or monoglycerides, 327
rat, fatty acid profile in diabetes mellitus, 696
rat, incorporation of oral squalene into squalene, methyl sterols, cholesterol, 233
rat, lipid bromine levels, animals fed brominated corn oil, dibromo- or tetrabromostearate, 319
rat, ovariectomized, diet- and hormone-induced cholesterol deposition, 753
rat, phospholipids and phospholipid fatty acids, 412
rat, relative contribution to fatty acid synthesis in vivo, 223
rat, total lipid fatty acid profile, PI, 682

L

LACTATING MOUSE, mammary gland in vitro, asymmetric decanoate distribution in TG, 335
LACTATION, effect of dietary fatty acids, 820
β-LACTOGLOBULIN, interaction with phosphatidylcholine vesicles, 111
LACTOPEROXIDASE, assay by β-carotene destruction, 198
β-carotene destruction and oxygen evolution by, 198
catalyzed oxidation of linoleate, reaction characterization, 204
effect of pH, H_2O_2 and halide concentration on activity, 198
LACTOSE, carbon source, oleaginous yeast, 623
LANOSTEROL, biosynthesis, acetate, mevalonate, rat liver, 668
in *Saprolegnia ferax*, 448
lipoproteins, rat, squalene-fed, 32
separation, reversed-phase TLC, 87
LCAT. See lecithin cholesterol acyl transferase
LEAN MICE, adipose tissue transplantation, FA composition, 776
LEAVES, beet, *Beta vulgaris*, sterol composition, 229
spinach, diacylglycerol acyltransferase, partial purification, characterization, 1
LECITHIN, inhibition of myxovirus-induced hemolysis, 489
of *Tetrahymena* ISO cells fed isovalerate, 423
rat macrophages, fatty acids, 514
LECITHIN CHOLESTEROL ACYLTRANSFERASE, assay, plasma, rat, 673
liver, sucrose-fed rats, effect of clofibrate, chroman analogs, 59
plasma, iron-deficient rats, 673
Lephogorgia subcompressa, determination of sterols, 570
$LiAlH_4$, reduction, sterol derivatives, 641
LINGUAL LIPASE, specificity, determination of, 239
LINOELAIDIC ACID, dietary effect on rat hepatic Δ^5 desaturase, 781
LINOLEATE, dietary, effect on platelet thromboxane and malonaldehyde, 267
effect on guinea pig smooth muscle cell proliferation, 349
photooxidation, effect of antioxidants, 259
LINOLEATE PEROXIDATION, by lactoperoxidase, factors which inhibit or activate, 204
LINOLEIC ACID, bromination, 319
composition, cocoa beans, temperature effects, 863
composition, triglycerides, oat and soybean, 882
dietary effect on rat hepatic Δ^5 desaturase, 781
dietary rat, effect on kinetics of adenine nucleotide translocase, 130
incorporation, metabolism, sea anemone lipids, 12
LINOLENATE, hydroperoxy cyclic peroxides, 353
in mouse peritoneal macrophage and tumoricidal activity, 483
photooxidation, effect of antioxidants, 259
supplementation, EFA-deficient rat, 682
α-LINOLENIC ACID, accumulation, rat liver, dietary brominated fats, 661
composition, triglycerides, oat and soybean, 882
effect on fatty acids of rat macrophages, 514
fatty acid profiles, rat immunocompetent cell populations, 737
incorporation, metabolism, sea anemone lipids, 12
tissue distribution in rat after feeding soybean oil, 760
γ-LINOLENIC ACID, dietary effect on rat hepatic Δ^5 desaturase, 781
tissue distribution in rat after feeding evening primrose oil, 760
LIPASE, adipose tissue, specificity, determination of, 239
bile salt-stimulated, in human milk, 393
Candida cylindracea, specificity, determination of, 239
Geotrichum candidum, specificity, determination of, 239
lingual, specificity, determination of, 239
lipoprotein, specificity, determination of, 239
milk, *Rhizopus arrhizus, Pseudomonas fluorescens*, specificity toward synthetic substrates, 313
pancreatic, hydrolysis of alkylacylglycerols, 313
pancreatic, lipolysis of oxidized sunflower oil, 611
pancreatic, natural and randomized peanut oil, 842
pancreatic, specificity, determination of, 239
specificity, determination of, 239
stereospecificity, determination using alkyldiacyl- and alkylmonoacylglycerol substrates, 313
triglycerides, soybean and oat, stereospecific analysis, 882
various, detection, determination, characteristics, 650
LIPID ACCUMULATION, *C. curvata*, enzyme activities, 630
LIPID PEROXIDATION, by lactoperoxidase, factors which inhibit or activate, 204
in vivo, effect of vitamin C and other antioxidants, 271
LIPID PROFILE, bovine adrenal cortex membranes, 577
cocoa beans, temperature effects, 863
muscle, fish, 877
LIPIDS, brominated, neutron activation, analysis, 319
neutral, content, liver mitochondria, effect of diet, 130
TLC, three-directional, 896
LIPID SYNTHESIS, from acetoacetate, glucose, developing rat lung in vitro, 295
LIPOGENESIS, effect of columbinic acid, mouse liver and mammary gland, 820
murine liver and mammary glands, effect of dietary fatty acids, 820
LIPOLYSIS, natural and randomized peanut oil, 842

pancreatic lipase, oxidized sunflower oil, 611
LIPOPROTEIN, bovine plasma, ultracentrifugation vs gel filtration, 795
HDL, bovine plasma, 795
high density, cholesterol, effect of dietary garlic, in chicken, 343
high density, plasma level, rabbits fed standard or cholesterol-rich diets, 306
high density, rat, squalene-fed, squalene and sterol content, 32
high density, sucrose-fed rats, effect of clofibrate, chroman analogs, 59
low density, bovine plasma, 795
low density, cholesterol, effect of garlic, 343
low density, human, correlation of density with serum cholesterol and triglyceride, 553
low density, human, correlation of structure with serum lipoprotein concentrations, 553
low density, plasma level, rabbits fed standard or cholesterol-rich diets, 306
low density, rat, squalene-fed, squalene and sterol content, 32
low density, sucrose-fed rats, effect of clofibrate, chroman analogs, 59
plasma, ultracentrifugation, micro, 636
very low density, bovine plasma, 795
very low density, plasma level, rabbits fed standard or cholesterol-rich diets, 306
very low density, rat heart perfusion, 808
very low density, rat, preparation of labelled, 501
very low density, rat, squalene-fed, squalene and sterol content, 32
very low density, rat, turnover and pool size, 501
very low density, sucrose-fed rats, effect of clofibrate, chroman analogs, 59
LIPOPROTEIN LIPASE, human milk, specificity, determination of, 239
specificity, determination of, 239
LIPOSOMES, transfer of 18:1 from microsomes to liposomes, 803
LITHOCHOLIC ACID, effect of dietary fats on biliary and fecal excretion, rat, 186
LIVER, chicken, effect of garlic on lipid metabolism, 343
chicken, enzymes, effect of garlic on metabolism, 343
fatty acid synthetase, effect of environmental temperature, 7
fatty, induced by fat-free ethanol diet, prevention by arachidonate, 285
guinea pig, cholesterol, cholesteryl ester content, control and cholesterol-fed, 18
hamster, steroid 12α-hydroxylase, 789
mitochondria, respiration, adenine nucleotide translocase activity, effect of diet, 130
murine, effect of dietary fatty acids on lipogenesis, 820
prairie dog, hydroxylation of bile acids, 909
rabbit, cholesterol content, effect of dietary restriction following standard or cholesterol diet, 306
rat, altered microsomal phospholipid composition, streptozotocin, diabetic, 339
rat, cholesterol, phospholipid synthesis, effect of dietary plasticizer, 211
rat, conversion of dietary squalene to bile acids, 233
rat, desaturases, effect of environmental temperature, sex, 7
rat, effect of soybean and evening primrose oil and fatty acid profile, 760
rat, fatty acid composition, 363
rat, fatty acid profile, dietary brominated fats, 661
rat, fatty, induced by fat-free ethanol diet, arachidonate prevention, 285
rat, lipid bromine levels, animals fed brominated corn oil, dibromo- or tetrabromostearate, 319
rat, microsomal Δ5 desaturase, effect of dietary FA, 781
rat, microsomes, fatty acid desaturation, effect of dietary partially hydrogenated marine oil, 171
rat microsomes, phosphatidylcholine, fatty acid profile, effect of environmental temperature, 7
rat, ovariectomized, diet- and hormone-induced cholesterol deposition, 753
rat, phospholipid composition, effect of dietary 13-*cis* retinoic acid, 142
rat, phospholipids and phospholipid fatty acids, 412
rat, relative contribution to fatty acid synthesis in vivo, 223
rat, squalene-fed, squalene and sterol content, 32
rat, stearoyl, CoA desaturase activity, effect of dietary iron, 573, erratum 913
rat, sterologenesis inhibition, chlorpromazine, 668
rat, toxicology of dietary brominated fatty acid or oil, metabolite concentration, 327
rat, transfer of 18:1 from microsomes to liposomes, 803
rat, weight, cholesterol, triglyceride content, effect dietary fat, cholesterol, *trans* fatty acids, 186
LIVER CHOLESTEROL, sucrose-fed rats, effect of clofibrate analogs, 59
LIVER TRIACYLGLYCEROL, sucrose-fed rats, effect of clofibrate, chroman analogs, 59
LOPHENOL, separation, reversed-phase TLC, 87
LUNG, guinea pig, cholesterol, cholesteryl ester content, control and cholesterol-fed, 18
human, lipids in lavage fluid, 387
rat, Δ9 desaturase activity, effect of age, 50
rat, EFA-deficiency, 18:3ω3 supplementation, prostaglandins, 691
rat, fatty acid profile, EFA-deficient, 18:3ω3 supplemented, 691
rat, incorporation of oral squalene into squalene, methyl sterols, cholesterol, 233
rat, lipid synthesis from acetoacetate, glucose, in vitro, 295
rat, relative contribution to fatty acid synthesis in vivo, 223
rat, TG, PL, incorporation of polyunsaturated fatty acids, 50
LYCOPENE, determination in human serum, 253
LYMPH, rat, transport of dietary squalene following absorption, 233
LYMPHOCYTES, human, hamster, cholesterogenesis, 641
mouse, effect of dietary fat on blastogenesis, cytotoxicity, antibody response and fatty acid composition, 468
LYSOPHOSPHATIDYLCHOLINE, content, sea anemone, effect of season, 12
effect on jejunal absorption in the rat, 428
HPLC separation, 434
of *Tetrahymena* ISO cells fed isovalerate, 423
oleate, acetate incorporation, rat liver, effect of dietary plasticizer, 211

M

MACROPHAGE, membrane fatty acids and parenteral feeding, 493
mouse peritoneal, lipid content and tumoricidal activity, 483
rabbit alveolar, phosphoglyceride content and composition, 125
rat peritoneal, isolation and purification, 514
MALATE DEHYDROGENASE, lipid accumulation, oleaginous yeast, 630
MALIC ENZYME, effect of dietary PUFA on lipogenesis, 820
lipid accumulation, oleaginous yeast, 630
MALONALDEHYDE, platelets, effect of dietary vitamin E and linoleate, 267
MALVALIC ACID, cyclopropenoid, cottonseed, distribution, GLC, 589
MAMMARY CARCINOMA, cholesterogenesis, 641
MAMMARY GLAND, mouse, in vitro, asymmetric decanoate distribution in TG, 335
murine, effect of dietary fatty acids on lipogenesis, 820
MARGARIC ACID, adipose tissue labeling, 776
MARINE FISH, osmoregulation, ω3,ω6 PUFA, 720
MARINE OILS, partially hydrogenated, effect on heart phospholipid fatty acids, 151
partially hydrogenated, effect on mitochondrial function, 151
partially hydrogenated, dietary, effect on fatty acid desaturation, rat liver, 171
MARINE ORGANISMS, sponge, polyunsaturated fatty acids, GC-MS, CI-MS, 853
MAST CELL, rat, PE, PC fatty acid profile, dietary 18:2/α-linolenate ratio, 737
Mecor miehei, lipase, detection, determination, 650
MELTING POINT, glycerol ethers from sponge, 107
MEMBRANE PERMEABILITY, effect of diacylglycerols, phosphatidylcholine, 96
MEMBRANE PHOSPHOLIPID, fatty acid composition, rat heart, effect of diet, 151
MEMBRANES, mitochondria, microsomes, bovine adrenal cortex, lipid profile, 577
myxovirus-induced fusion and role of glycolipids and phospholipids, 489
tumor cell, effects of lipid content and composition on properties, 475
1-MERCAPTO-2,3-PROPANEDIOL ANALOGS, substrate, lipase assay, 650
MASTRANOL-NORETHYNODREL, effect on cholesterol deposition in tissues of ovariectomized rats, 753
METHIONINE, inhibition of lactoperoxidase-catalyzed lipid peroxidation, 204
METHOSTANOL, lipoproteins, rat, squalene-fed, 32
α-METHOXY FATTY ACIDS, PL of demosponge *Higginsia tethyoides*, 830
3-METHYLCHOLANTHRENE, behavior in simulated intestinal content, 216
24-METHYLCHOLEST-5-ENOL, occurrence in sponge, 193
24-METHYLCHOLESTA-5,7-DIENOL, occurrence in sponge, 193
24 - METHYLCHOLESTA - 5,22 - DIENOL, content, freshwater molluscs, 100
occurrence in sponge, 193
24 - METHYLCHOLESTA - 5, 7, 22 - TRIENOL, occurrence in sponge, 193
24-METHYLCHOLEST-5-ENOL, content, freshwater molluscs, 100
6-METHYLCHOLESTEROL, effect on oospore formation in *Phytophthora cactorum*, 358
17-METHYL-*cis*-9,10-METHYLENEOCTADECANOIC ACID, biosynthesis, *H. megaseliae*, 607
GLC, MS, NMR, IR, 607
4-METHYLCOUMARIN, substrate, lipase assay, fluorimetry, 650
24-METHYLENE CHOLESTEROL, in *Saprolegnia ferax*, 448
occurrence in sponge, 193
METHYL FURAN OCTANOATE, identification in autoxidized fats, 353
METHYL LINOLEATE MONOHYDROPEROXIDES, photosensitized oxidation, 868
METHYLMERCURIC CHLORIDE, gangliosides, mouse neuroblastoma culture, 664
METHYL STEROLS, synthesis in rat jejunal mucosa from biliary squalene, 530
MEVALONATE, incorporation, rat liver sterols, 668
MICELLAR LIPIDS, binding to chitosan, 714
MICELLAR SOLUTION, bile salt-lipid, preparation, 216
MICROSOMES, membranes, bovine adrenal cortex, lipid profile, 577
Microsporum gypseum, filamentous, pathogenic, fungi, choline kinase, 727
MILK, echidna, TG, stereospecific analysis, 848
goats', polar lipids, fatty acid composition, 55
human, change in bile-salt stimulated lipase with time postpartum, 393
human, change in lipid content with time postpartum, 393
human, desmosterol, identification, quantitation, 264
lipase, human, specificity toward synthetic substrates, 313
lipoprotein lipase, natural and randomized peanut oil, 842
monotremes, TG, stereospecific analysis, 848
platypus, TG, stereospecific analysis, 848
rat, fatty acids, 363
MITOCHONDRIA, liver, respiration, adenine nucleotide translocase activity, effect of diet, 130
membranes, bovine adrenal cortex, lipid profile, 577
oxygen consumption, effect of diet, 151
rat heart, function and phospholipid fatty acid composition, effect of diet, 151
MITOMYCIN, effect on tumor cell membrane properties, 475
MOLECULAR SPECIES, PL, by HPLC, 814
MOLLUSCS, freshwater, sterol composition, 100
MONKEY, plasma, HPLC of vitamins A and E, inclusion of antioxidants, 837
MONOACYLGLYCEROL, content, sea anemone, effect of season, 12
effect on hydrocarbon partition into bile salt-phospholipid emulsion, 216
MONOGLYCERIDES, boric acid chromarods, FID quantitation, 732
synthesis, using brominated fatty acids, 327
MONOHYDROPEROXIDES, HPLC oleate and linoleate, autoxidation products, 706

of methyl linoleate, GD, GC-MS, IR, NMR, 868
MONOMERS, thermally oxidized sunflower oil, lipolysis, pancreatic lipase, 611
8-en-MONOMETHYLSTEROL, lipoproteins, rat, squalene-fed, 32
MONOTREMES, milk, TG, stereospecific analysis, 848
Morone saxatilis. See striped bass
MOUSE, adipose tissue, FA composition of, transplanted between lean and obese, 776
fat pads, adipocytes, heterogeneous labeling by in vivo-in vitro technique, 25
immune responsiveness to dietary fat, 468
lactating, mammary gland in vitro, asymmetric decanoate distribution in TG, 335
liver, effect of dietary fatty acids on lipogenesis, 820
mammary gland, effect of dietary fatty acids on lipogenesis, 820
mammary gland, in vitro, asymmetric decanoate distribution in TG, 335
peritoneal macrophage lipids and tumoricidal activity, 483
testes, cultured spermatocytes, arachidonic acid metabolism, 275
MURICHOLIC ACID, α, β, ω, effect of dietary fats on biliary and fecal excretion, rat, 186
MURINE MASTOCYTOMA CELLS P815. See tumor cells
MUSCLE, rat, bromine content following feeding of brominated corn oil or monoglycerides, 327
rat, incorporation of oral squalene into squalene, methyl sterols, cholesterol, 233
rat, lipid bromine levels, animals fed brominated corn oil, dibromo- or tetrabromostearate, 319
rat, phospholipids and phospholipid fatty acids, 412
MUSCLE CELLS, smooth, rat aortic, metabolism, arachidonic acid, effect of eicosapentanoic acid, 42
MYOCARDIUM, canine, PL alterations in ischemia, acute arrhythmia, 677
MYOCYTES, rat cardiac, metabolism of FA, glycerol and MG analogue, 808

N

$NaBH_4$, reduction, sterol derivatives, 641
Na^+, K^+-ATPase, rat, diabetes mellitus, 696
N-ACETYL GLUCOSAMINIDASE, activity in aorta, rabbits fed standard or cholesterol-rich diet, effect of dietary restriction, 306
NEURAMINIC ACID, and myxovirus-induced membrane fusion, 489
NEUROBLASTOMA, mouse, cultured, methylmercuric chloride, gangliosides, 664
NEUTRAL LIPIDS, content, sea anemone, effect of season, 12
TLC, three-directional, 896
NEUTRON ACTIVATION ANALYSIS, analysis of lipid-bound bromine, 319
5,8-NONADIYONIC ACID, synthesis, 894
26-NOR-25(RS)-25-BROMOCHOLESTEROL, HPLC, TLC, NMR, mass spectra, 772
24-NORCHOLESTA-5,22-DIENOL, occurrence in sponge, 193
24-NORCHOLESTA-5,7,22-TRIENOL, occurrence in sponge, 193
26-NOR-25-HYDROXYCHOLESTERYL-3-ACETATE, HPLC, TLC, NMR, mass spectra, 772
26-NOR-25-(RS)-HYDROXYCHOLESTEROL, HPLC, TLC, NMR, mass spectra, 772
26-NOR-25-KETOCHOLESTEROL, HPLC, TLC, NMR, mass spectra, 772
26-NOR-25-KETOCHOLESTERYL-3-ACETATE, HPLC, TLC, NMR, mass spectra, 772

O

OAT, triglycerides, stereospecific analysis, 882
OBESE MICE, adipose tissue transplantation, FA composite, 776
OBESITY, murine adipose tissue FA composition, 776
n-OCTACOSANAL, in *Hypericum ericoides*, 439
n-OCTACOSANOL, in *Hypericum ericoides*, 439
6,9,12-OCTADECATRIENOIC ACID, dietary, effect on plasma cholesterol in humans, 558
OCTADECENOIC ACID, nomenclature, 913
OCTOPUS, fatty acid profile, 743
OLEIC ACID, bromination, 319
composition, cocoa beans, temperature effects, 863
composition, triglycerides, oat and soybean, 882
transfer of 18:1 from microsomes to liposomes, 803
OOSPORE FORMATION, inhibition in fungi, 358
ORANGE ROUGHY, wax esters, glycerolipids, fatty acids, alcohols, 585
ORGAN, culture, mammary gland, lactating mouse, lipid synthesis, 335
OX, bile, binding by chitosan, 714
OXIDATION, fatty acids, effect of antioxidants, 259
photosensitized, of methyl linoleate, GC-MS, IR, MNR, 868
OXIDATION PRODUCTS, of thermally oxidized vegetable oils, hydrolysis, 402

P

PALMAR FAT, human, lipid composition and lipid biosynthesis, 371
PALMITATE, inhibition of rat heart lipase activity, 408
PALMITIC ACID, composition, cocoa beans, temperature effects, 863
composition, triglycerides, oat and soybean, 882
PANCREAS, rat, relative contribution to fatty acid synthesis in vivo, 223
PANCREATIC LIPASE, hydrolysis of alkylacylglycerols, 313
natural and randomized peanut oil, 842
specificity, determination of, 239
PARAMYXOVIRUS. See virus
PEANUT OIL, dietary, rat, effect on serum lipids, mitochondrial function, composition, 151
hydrogenated, dietary, rat, effect on serum lipids, mitochondrial function, composition, 151
hydrogenated, in diet, fatty acid composition, monounsaturated isomers, 151
in diet, fatty acid composition, monounsaturated isomers, 151
lipolysis, 842
partially hydrogenated, dietary, effect on fatty acid desaturation, rat liver, 171
randomized, lipolysis, 842
PELAGIC FAUNA, absence of wax esters, 149

PENTANE, production, measure of in vivo lipid peroxidation, 271
PERIPHERAL LYMPHOCYTE, rat, PE, PC fatty acid profile, dietary 18:2/α-linoleate ratio, 737
PERITONEAL MACROPHAGE, mouse, lipid content and tumoricidal activity, 483
PERMEABILITY, membrane, effect of diacylglycerols, phosphatidylcholine, 96
PEROXIDATION, formation of C_3 hydrocarbons, alga, 37
lipid, by lactoperoxidase, factors which inhibit or activate, 204
lipid, in vivo, effect of vitamin C and other antioxidants, 271
PEROXIDES, hydroperoxy cyclic, analysis of decomposition products, 353
hydroperoxy cyclic, oxidation products of methyl linoleate, 868
PHENYL HYDROXYSTEARATES, autoxidation products, HPLC, 706
PHENYL LINOLEATE, autoxidation products, HPLC, 706
synthesis, GLC, 706
PHENYL OLEATE, autoxidation products, HPLC, 706
synthesis, GLC, 706
PHOSPHATIDYLCHOLINE, analysis, response factors, TLC-flame ionization detection, 74
bile salt emulsion, preparation, 216
biosynthesis, human platelets, 179
containing arachidonate, effect on ion transport, 96
content, composition, rat liver, dietary retinoic acid effect, 142
content, liver mitochondria, effect of diet, 130
content, sea anemone, effect of season, 12
effect on jejunal absorption in the rat, 428
fatty acid profile, rat heart, liver, effect of environmental temperature, 7
goats' milk, content and fatty acid composition, 55
HPLC separation, 534
human platelets, in vitro incorporation of 5,8,11-eicosatrienoic acid, 291
in bovine pulmonary surfactant, 522
incorporation of arachidonic acid, rat platelets, 859
inhibition of myxovirus-induced hemolysis, 489
mitochondria, fatty acid positional distribution, effect of diet, 151
oleate, acetate incorporation, rat liver, effect of dietary plasticizer, 211
platelets, smooth muscle cells, incorporation of arachidonate, eicosapentaenoate, 42
rat liver microsomal, fatty acid composition, streptozotocin-induced diabetes, 339
rat macrophages, fatty acids, 514
R. meliloti, *A. tumefaciens*, Ti plasmid, 602
synthesis of mixed-acid, 434
vesicles, interaction with β-lactoglobulin, 111
PHOSPHATIDYLETHANOLAMINE, content, composition, rat liver, dietary retinoic acid effect, 142
content, liver mitochondria, effect of diet, 130
content, sea anemone, effect of season, 12
goats' milk, content and fatty acid composition, 55
human platelets, in vitro incorporation of 5,8,11-eicosatrienoic acid, 291
incorporation of arachidonic acid, rat platelets, 859
mitochondria, fatty acid positional distribution, effect of diet, 151
of *Tetrahymena* ISO cells fed isovalerate, 423
oleate, acetate incorporation, rat liver, effect of dietary plasticizer, 211
platelets, smooth muscle cells, incorporation of arachidonate, eicosapentaenoate, 42
rat liver microsomal, fatty acid composition, streptozotocin-induced diabetes, 339
rat macrophages, fatty acids, 514
R. meliloti, *A. tumefaciens*, Ti plasmid, 602
PHOSPHATIDYLGLYCEROL, *R. meliloti*, *A. tumefaciens*, Ti plasmid, 602
PHOSPHATIDYLINOSITOL, content, composition, rat liver, dietary retinoic acid effect, 142
goats' milk, content and fatty acid composition, 55
human platelets, in vitro incorporation of 5,8,11-eicosatrienoic acid, 291
incorporation of arachidonic acid, rat platelets, 859
inhibition of myxovirus-induced hemolysis, 489
oleate, acetate incorporation, rat liver, effect of dietary plasticizer, 211
platelets, smooth muscle cells, incorporation of arachidonate, eicosapentaenoate, 42
rat liver microsomal, fatty acid composition, streptozotocin-induced diabetes, 339
PHOSPHATIDYL-N-DIMETHYLETHANOLAMINE, *R. meliloti*, *A. tumefaciens*, Ti plasmid, 602
PHOSPHATIDYL-N-METHYLETHANOLAMINE, *R. meliloti*, *A. tumefaciens*, Ti plasmid, 602
PHOSPHATIDYLSERINE, analysis, response factors, TLC-flame ionization detection, 74
content, composition, rat liver, dietary retinoic acid effect, 142
goats' milk, content and fatty acid composition, 55
human platelets, in vitro incorporation of 5,8,11-eicosatrienoic acid, 291
inhibition of myxovirus-induced hemolysis, 489
oleate, acetate incorporation, rat liver, effect of dietary plasticizer, 211
platelets, smooth muscle cells, incorporation of arachidonate, eicosapentaenoate, 42
rat liver microsomal, fatty acid composition, streptozotocin-induced diabetes, 339
rat macrophages, fatty acids, 514
PHOSPHOLIPID PROFILE, canine heart, 677
PHOSPHOLIPIDS, adipocytes, heterogeneous labeling by in vivo-in vitro technique, 25
adipocytes, incorporation of erucic acid, 137
alkenylacyl, composition, content, rabbit alveolar macrophages, 125
alkylacyl, composition, content, rabbit alveolar macrophages, 125
alterations during arrhythmia, canine heart, ischemic, 677
altered composition, liver microsomes, streptozotocin diabetic rat, 339
bovine adrenal cortex membranes, 577
bovine pulmonary surfactant, 522
cilia, tunicate, 900
composition, rat liver, effect of dietary 13-*cis* retinoic acid, 142
content, rat heart mitochondria, effect of dietary partially hydrogenated marine oil, 151
diacyl, composition, content, rabbit alveolar macrophages, 125

distribution in tissues of tumor-implanted rats, 412
fasting pony serum, fatty acids, 397
hepatic, rat, effect of fat-free ethanol-containing diet, arachidonate supplementation, 285
HPLC separation, 534
incorporation of arachidonic acid, rat platelets, 859
in VLDL, LDL, HDL, rabbits fed standard or cholesterol-rich diet, 306
ischemic canine heart, 677
membrane, fatty acid composition, rat heart, effect of diet, 151
mouse testes and isolated cells, fatty acid distribution, arachidonate metabolite incorporation, 275
of human bronchoalveolar lavage fluid, TLC, 387
of human palmar fat, 371
of isovalerate-supplemented *Tetrahymena* ISO cells, 423
plasma and red cell membranes, human, 906
plasma, iron-deficient rats, 673
rat lung in vitro, biosynthesis from acetoacetate, glucose, 295
rat lung, polyunsaturated fatty acid incorporation, effect of age, 50
rat macrophages, fatty acids, 514
Rhizobium, fractionation, assay, TLC, 602
R. meliloti, *A. tumefaciens*, Ti plasmid, 602
role in myxovirus-induced membrane fusion, 489
striped bass eggs, 510
synthesis, 434
synthesis from oleate, acetate, rat liver, effect of dietary plasticizer, 211
synthesis, rat liver, effect of dietary plasticizer, 211
rat liver microsomes, *trans* and ω6-fatty acid, effect of diets, 171
TLC, three-directional, 896
PHOTOOXIDATION, fatty acids, effect on antioxidants, 259
PHOTOSENSITIZED OXIDATION, of methyl linoleate, GC-MS, IR, MNR, 868
Phymactis clematis. See sea anemone
Phytophthora cactorum, effect of 6-substituted sterols, 358
PIG, guinea, cholesterol esterifying capacity, various organs, 18
PLASMA, cholesterol, human, effect of 6, 9, 12-octadecatrienoic acid, 558
fatty acid profile, humans, 906
guinea pig, HPLC of vitamins A and E, inclusion of antioxidants, 837
human and rabbit, metabolism of platelet-activating factor, 534
human, HPLC of vitamins A and E, inclusion of antioxidants, 837
monkey, HPLC of vitamins A and E, inclusion of antioxidants, 837
rat, fatty acid composition, 363
rat, HPLC of vitamins A and E, inclusion of antioxidants, 837
rat, LCAT activity, iron deficiency, 673
rat, volume measurement, 501
PLASMA LIPOPROTEINS, ultracentrifugation, micro, 636
PLASMALOGEN PROFILE, canine heart, 677
PLASMALOGENS, human platelet PC, 814
PLASMID, Ti, phospholipid, *R. meliloti*, *A. tumefaciens*, 602
PLASTICIZER, dietary, effect on cholesterol, phospholipid metabolism, rat liver, 211
PLATELET ACTIVATING FACTOR, biphasic action, isolated guinea pig ileum, 845
HPLC and TLC separation, 534
human platelets, 814
labelled, preparation, 534
lyso-, preparation, 534
metabolism by blood platelets and plasma, 534
PLATELET AGGREGATION, potentiating effect of 5,8,11-eicosatrienoic acid, 291
PLATELETS, blood, human and rabbit, metabolism of platelet-activating factor, 534
dietary vitamin E, linoleate, effect on thromboxane, malonaldehyde, 267
gerbil, thrombin-induced aggregation, phospholipid content, 859
human, aggregation, potentiating effect of 5,8,11-eicosatrienoic acid, 291
human, cholinephosphotransferase activity, properties, 179
human, ether PL, arachidonate distribution, 814
human, incorporation of 5,8,11-eicosatrienoic acid into phospholipids in vitro, 291
rat, metabolism, arachidonic acid, effect of eicosapentanoic acid, 42
PLATYPUS MILK, TG, stereospecific analysis, 848
POLAR LIPIDS, content, sea anemone, effect of season, 12
goats' milk, fatty acid composition, 55
TLC, three-directional, 896
total, spinach leaves, content, fatty acid profile, 1
POLYACRYLAMIDE GEL ELECTROPHORESIS, bovine lipoproteins, 795
POLYCHLORINATED BIPHENYL, behavior in simulated intestinal content, 216
POLYCYCLIC HYDROCARBONS, behavior in simulated intestinal content, 216
POLYENOIC ACIDS, biosynthesis from arachidonic acid, cultured mouse spermatocytes, 275
POLYMERS, of thermally oxidized vegetable oils, hydrolysis, 402
thermally oxidized sunflower oil, lipolysis, pancreatic lipase, 611
POLYMETHOXY DERIVATIVES, polyunsaturated fatty acids, GC-MS, CI-MS, 853
POLYSACCHARIDE, chitosan in hypocholesterolemia, 714
POLYUNSATURATED FATTY ACIDS, alga, peroxidation, formation of C_3 hydrocarbons, 37
mechanism of effect on plasma cholesterol, 558
osmoregulation, fish, 720
sponge, double-bond location, GC-MS, CI-MS, 853
PONY, fasting, serum fatty acids, 397
POSTNATAL, rat lung, TG, PL, incorporation, polyunsaturated fatty acids, 50
PRAIRIE DOG, liver, hydroxylation of bile acids, 909
PREGASTRIC ESTERASE, specificity, determination of, 239
(24E)-24-PROPYLIDENECHOLESTA-5,7-DIENOL, occurrence in sponge, 193
(24Z)-24-PROPYLIDENECHOLESTA-5,7-DIENOL, occurrence in sponge, 193
PROSTACYCLIN, synthesis, smooth muscle cells, plate-

lets, effect of eicosapentaenoic acid, 42
PROSTAGLANDIN E_2, urinary, EFA-deficient rats, 18:3ω3 supplementation, 682
PROSTAGLANDIN E_2-LIKE, rat lung, EFA-deficient, 18:3ω3 supplemented, 691
PROSTAGLANDIN I_2, metabolites, urinary excretion in tumor-implanted rats, 412
PROSTAGLANDIN-LIKE FATTY ACID, GLC, TLC, HPLC, IR, NMR, MS, 617
PROSTANGLANDIN PGI-2, biosynthesis in guinea pig smooth muscle aorta cells, 566
PROSTAGLANDINS, bioassay, rat stomach strips, 691
biosynthesis in guinea pig cell cultures, 349
dienoic, rat, supplementation, prostaglandins, 691
HPLC, 682
radioimmunoassay, 691
rat macrophages, assay, 514
rat macrophages, effect of ω3 unsaturated fatty acids on synthesis, 514
synthesis, smooth muscle cells, platelets, effect of eicosapentaenoic acid, 42
PROSTANOID, biosynthesis in guinea pig smooth muscle aorta cells, 566
PROTEIN, in VLDL, LDL, HDL, rabbits fed standard or cholesterol-rich diet, 306
PROTEINS, of bovine pulmonary surfactant, 522
thylakoid, in chloroplasts and streptomycin-bleached lamellae of *Euglena gracilis*, 539
PROTOZOAN, synthesis, branched, cyclopropane fatty acids, 607
Pseudomonas fluorescens, lipase, detection, determination, 650
lipase, specificity toward synthetic substrates, 313
PUROMYCIN, LD_{50} in housefly, 595
2-PYRIDINETHIOL ETHERS, synthesis, 434
PYRUVATE CARBOXYLASE, lipid accumulation, oleaginous yeast, 630
PYRUVATE KINASE, levels, effect of dietary vitamin E, 146
PYRUVIC DEHYDROGENASE, lipid accumulation, oleaginous yeast, 630

R

RABBIT, alveolar macrophages, phosphoglyceride content and composition, 125
aorta, atherosclerosis, enzyme activity, effect of dietary restriction, cholesterol-fed, 306
blood platelets and plasma, metabolism of platelet-activating factor, 534
cholesterol-fed, hyperlipoproteinemia, atherosclerosis, disturbed cholesterol metabolism, 306
intestine, cholesterol content, effect of dietary restriction following standard or cholesterol diet, 306
liver, cholesterol content, effect of dietary restriction following standard or cholesterol diet, 306
RADICALS, chromanoxyl, electron spin resonance spectra, 81
RADIOIMUNOASSAY, PGI-2, 349
prostaglandin E_2, 682
prostaglandins, 691
vasopressin, 682
RAPESEED OIL, dietary, effect on fatty acid desaturation, rat liver, 171
dietary, rat, effect on serum lipids, mitochondrial function, composition, 151
in diet, fatty acid composition, monounsaturated isomers, 151
RAT, adipose, bromine content following feeding of brominated corn oil or monoglycerides, 327
adipose, lipid bromine levels, animals fed brominated corn oil, dibromo- or tetrabromostearate, 319
adipose tissue, incorporation of oral squalene into squalene, methyl sterols, cholesterol, 233
adipose tissue, relative contribution to fatty acid synthesis in vivo, 223
adipose tissue, squalene-fed, squalene and sterol content, 32
aorta, ovariectomized, diet- and hormone-induced cholesterol deposition, 753
bile, steroid excretion, effect of dietary cholesterol, fat *trans* fatty acids, 186
brain, effect of soybean and evening primrose oil and fatty acid profile, 760
brain, relative contribution to fatty acid synthesis in vivo, 223
cardiac myocytes, metabolism of FA, glycerol and MG analogue, 808
diabetic, streptozotocin-induced, altered microsomal phospholipid composition, 339
effect of dietary fat, cholesterol, *trans* fatty acid on steroid excretion, 186
effect of dietary *trans* unsaturated fatty acids on steroid metabolism and serum lipoproteins, 375
epididymal fat, adipocytes, metabolism of erucic acid, 137
erythrocytes, fatty acid composition, 363
fatty acid synthesis, relative contribution of main tissues and organs, 223
fecal bile acids, effect of dietary squalene, 32
heart, effect of soybean and evening primrose oil and fatty acid profile, 760
heart, incorporation of oral squalene into squalene, methyl sterols, cholesterol, 233
heart, inhibition of lipase activity, 408
heart, lipid bromine levels, animals fed brominated corn oil, dibromo- or tetrabromostearate, 319
heart, marine oil, partially hydrogenated, effect on mitochondrial function, composition, 151
heart microsomes, phosphatidylcholine, fatty acid profile, effect of environmental temperature, 7
heart, ovariectomized, diet- and hormone-induced cholesterol deposition, 753
heart, perfused, metabolism of FA, glycerol and MG analogue, 808
heart, relative contribution to fatty acid synthesis in vivo, 223
heart, toxicology of dietary brominated fatty acid or oil, metabolite concentration, 327
hepatocytes, synthesis of bile acids, 443
intestinal mucosa, squalene-fed, squalene and sterol content, 32
intestine, absorption and metabolism of dietary squalene, 233
intestine, relative contribution to fatty acid synthesis in vivo, 223
jejunal absorption of water and solutes, effect of lysophosphatidylcholine, 428
jejunal mucosa, sterol synthesis from biliary squalene, 530
kidney, bromine content following feeding of brominated corn oil or monoglycerides, 327

kidney, fatty acid profile in diabetes mellitus, 696
kidney, incorporation of oral squalene into squalene, methyl sterols, cholesterol, 233
kidney, lipid bromine levels, animals fed brominated corn oil, dibromo- or tetrabromostearate, 319
kidney, ovariectomized, diet- and hormone-induced cholesterol deposition, 753
kidney, relative contribution to fatty acid synthesis in vivo, 223
kidney, total lipid fatty acid profile, PI, 682
liver, altered microsomal phospholipid composition, streptozotocin, diabetic, 339
liver, cholesterol, phospholipid synthesis, effect of dietary plasticizer, 211
liver, conversion of dietary squalene to bile acids, 233
liver, desaturases, effect of environmental temperature, sex, 7
liver, effect of soybean and evening primrose oil and fatty acid profile, 760
liver, fatty acid composition, 363
liver, fatty, induced by fat-free ethanol diet, arachidonate prevention, 285
liver, lipid bromine levels, animals fed brominated corn oil, dibromo- or tetrabromostearate, 319
liver, microsomal Δ5 desaturase, effect of dietary FA, 781
liver, microsomes, fatty acid desaturation, effect of dietary partially hydrogenated marine oil, 171
liver microsomes, phosphatidylcholine, fatty acid profile, effect of environmental temperature, 7
liver, ovariectomized, diet- and hormone-induced cholesterol deposition, 753
liver, phospholipid composition, effect of dietary 13-*cis* retinoic acid, 142
liver, relative contribution to fatty acid synthesis in vivo, 223
liver, squalene-fed, squalene and sterol content, 32
liver stearoyl-CoA desaturase activity, effect of dietary iron, 573, erratum 913
liver, toxicology of dietary brominated fatty acid or oil, metabolite concentration, 327
liver, transfer of 18:1 from microsomes to liposomes, 803
liver, weight, cholesterol, triglyceride content, effect of dietary fat, cholesterol, *trans* fatty acids, 186
lung, EFA-deficiency, 18:3ω3 supplementation, prostaglandins, 691
lung, fatty acid profile, EFA-deficient, 18:3ω3 supplemented, 691
lung, incorporation of oral squalene into squalene, methyl sterols, cholesterol, 233
lung, lipid synthesis from acetoacetate, glucose, in vitro, 295
lung, relative contribution to fatty acid synthesis in vivo, 223
lung, TG, PL, incorporation of polyunsaturated fatty acids, 50
lymph, transport of dietary squalene following absorption, 233
mast cell, PE, PC fatty acid profile, dietary 18:2/α-linolenate ratio, 737
milk fatty acids, 363
muscle, bromine content following feeding of brominated corn oil or monoglycerides, 327
muscle, incorporation of oral squalene into squalene, methyl sterols, cholesterol, 233
muscle, lipid bromine levels, animals fed brominated corn oil, dibromo- or tetrabromostearate, 319
pancreas, relative contribution to fatty acid synthesis in vivo, 223
peripheral lymphocyte, PE, PC fatty acid profile, dietary 18:2/α-linoleate ratio, 737
peritoneal macrophages, isolation and purification, 514
peritoneal macrophages, prostaglandin synthesis, effect of ω3 unsaturated fatty acids, 514
plasma, fatty acid composition, 363
plasma, HPLC of vitamins A and E, inclusion of antioxidants, 837
plasma, LCAT activity, iron deficiency, 673
plasma volume measurement, 501
salivary gland, submandibular, sulfolipid synthesis, effect of dietary vitamin E, 146
serum, sucrose-fed, lipid levels, effect of clofibrate, chroman analogs, 59
serum, transport of dietary saline following absorption, 233
skin, relative contribution to fatty acid synthesis in vivo, 223
spleen, relative contribution to fatty acid synthesis in vivo, 223
splenocyte, PE, PC fatty acid profile, dietary α-linoleate, 737
stomach, relative contribution to fatty acid synthesis in vivo, 223
sucrose-fed, serum, liver, lipid levels, effect of clofibrate, chroman analogs, 59
testes, bromine content following feeding of brominated corn oil or monoglycerides, 327
testes, effect of soybean and evening primrose oil and fatty acid profile, 760
testes, relative contribution to fatty acid synthesis in vivo, 223
thymocyte, PE fatty acid profile, dietary 18:2/α-linolenate ratio, 737
thymus, relative contribution to fatty acid synthesis in vivo, 223
tissue lipid analysis, three-directional TLC, 896
tumor-implanted, phospholipid distribution in liver, heart, kidney, testis, spleen and red blood cells, 412
urine, EFA-deficient, prostaglandin E_2 excretion, 682
very low density lipoprotein, preparation of labelled, 501
very low density lipoprotein, turnover and pool size, 501
RECTAL GLANDS, dogfish, ω3,ω6 PUFA, 720
RED BLOOD CELLS, fatty acid profile, human, 906
rat, phospholipids and phospholipid fatty acids, 412
REDUCTASE, NADH cytochrome, assay, liver microsomes, effect of environmental temperature, 7
RENAL CORTICES, PL-FAME profile, diabetic rat, 696
RENAL GLOMERULI, PL-FAME profile, diabetic rat, 696
RENAL PLASMA MEMBRANE, PL fatty acid profile, diabetic rat, 696
RESPIRATION, mitochondrial, liver, effect of diet, 130
RESPONSE FACTORS, lipid, flame ionization detection following TLC, 74

RETINOL, HPLC, mammalian plasma, inclusion of antioxidants, 837
RETINYL ESTERS, determination in human serum, 253
Rhizobium meliloti, phospholipids, Ti plasmid, 602
Rhizopus arrhizus, lipase, specificity toward synthetic substrates, 313
Rhizopus delemar, lipase, detection, determination, 650
13-*cis* RETINOIC ACID, dietary, effect on liver phospholipid composition, 142
ROCKET IMMUNOELECTROPHORESIS, enzyme assay, 820

S

Saccharomyces cerevisiae RD5-R, yeast sterol auxotroph, 772
See YEAST
SAFFLOWER OIL, dietary, effect on mitochondrial respiration, 130
SALIVARY GLAND, rat, submandibular, sulfolipid synthesis, effect of dietary vitamin E, 146
SAPROPEL, lipid analysis, alkandiols, keto-ols, 902
SCALLOPS, fatty acid profile, 743
SCATCHARD PLOT, cholate binding to chitosan, 714
SEA ANEMONE, characterization, lipid, fatty acid, lipid metabolism, 12
SEBUM, human, boric acid chromarod, FID quantitation MG, DG, TG, FA, 732
SEEDLINGS, *C. maxima*, conversion of cyclolaudenol to 24α-,24β-ethylsterols, 302
SEED OIL, fatty acid composition, *Ixiolaena brevicompta*, 103
SEEDS, *C. maxima*, conversion of cyclolaudenol to 24α-,24β-ethylsterols, 302
SERINE PHOSPHOGLYCERIDES, content, composition, rabbit alveolar macrophages, 125
Serratia marcescens, lipase, detection, determination, 650
SERUM, chicken, lipoprotein cholesterol, effect of dietary garlic, 343
fasting pony, fatty acids, 397
human, cholesterol and triglyceride concentration, 553
human, determination of lycopene, α and β-carotene, retinyl esters, 253
human, lipoprotein concentrations and LDL lipoprotein structure, 553
lipoproteins, rat, effect of dietary *trans* unsaturated fatty acids, 375
rat, sucrose-fed, lipid levels, effect of clofibrate, chroman analogs, 59
rat, transport of dietary saline following absorption, 233
SHRIMP, fatty acid profile, 743
SITOSTEROL, beet leaves, content, GLC, HPLC, NMR, 229
NMR spectra, 229
separation, reversed-phase TLC, 87
SKIN, frog, ion transport, effect of arachidonate containing, DG, PC, 96
rat, relative contribution to fatty acid synthesis in vivo, 223
SMOOTH MUSCLE CELLS, aortic, rat, metabolism, arachidonic acid, effect of eicosapentanoic acid, 42
SOYBEAN OIL, triglycerides, stereospecific analysis, 882
emulsions, parenteral feeding, and effects on immune systems, 493
partially hydrogenated, dietary, rat, effect on steroid excretion, 186
tissue distribution of fatty acids in rat after feeding, 760
SPECIFICITY, lipase, determination of, 239
SPECTRA, CHEMICAL IONIZATION, MS, polyunsaturated fatty acids, double bond location, 853
SPECTRA, CIRCULAR DICHROISM, very long chain α-methoxy fatty acids, 830
SPECTRA, ELECTRON SPIN RESONANCE, chromanoxyl residues derived from tocopherols, 81
SPECTRA, FLUORESCENCE EMISSION, β-lactoglobulin, solution and in phospholipid vesicles, 111
SPECTRA, INFRARED, branched cyclopropane fatty acids, 607
5,8,11-eicosatrienoic acid, 894
methyl crepenynate, 103
methyl linoleate, oxidation products, of, 868
prostaglandin-like fatty acid, 617
sterols of *Saprolegnia ferax*, 448
very long chain α-methoxy fatty acids, 830
SPECTRA, MASS, branched cyclopropane fatty acids, 607
chemical ionization, polyunsaturated fatty acids, double-bond location, 853
chemical ionization, wax ester analysis, 68
fatty acids, ceramides, sphingosines, sponge, 889
glycerol ethers from sponge, 107
methyl crepenynate, 103
methyl linoleate, oxidation products of, 868
phenyl linoleate autoxidation products, 706
phenyl oleate, autoxidation products, 706
prostaglandin-like fatty acid, 617
sterols, 772
sterols, freshwater molluscs, 100
sterols of yeast, 545
trifluoroacetate derivatives of conjugated bile acids, 90
waxes and volatile oils from *Hypericum ericoides*, 439
SPECTRA, MASS-GLC, desmosterol identification, human milk, 264
5,8,11-eicosatrienoic acid, 894
iodination products from arachidonic acid, 390
isopropylidene glyceryl ethers, 814
polyunsaturated fatty acids, double-bond location, 853
sterols of *Lephogorgia subcompressa*, 570
sterols of *Saprolegnia ferax*, 448
urinary prostaglandin I_2 metabolites, 412
very long chain α-methoxy fatty acids, 830
volatile thermal decomposition products of hydroperoxy cyclic peroxides, 353
SPECTRA, NUCLEAR MAGNETIC RESONANCE, acetyl-D,L-thiolcarnitine, 382
branched cyclopropane fatty acids, 607
ceramides, sphingosines, sponge, 889
characterization, phosphatidylcholine-β-lactoglobulin vesicles, 111
5,8,11-eicosatrienoic acid, 894
glycerol ethers from sponge, 107
identification of 4-desmethylsterols from beet leaves, 229
methyl crepenynate, 103
methyl linoleate, oxidation products of, 868

prostaglandin-like fatty acid, 617
sterols, 772
SPECTRA, PROTON MAGNETIC RESONANCE, acetyl-D,L-thiolcarnitine, 382
waxes and volatile oils from *Hypericum ericoides*, 439
SPECTRA, ULTRAVIOLET, characterization, phosphatidylcholine-β-lactoglobulin vesicles, 111
methyl crepenynate, 103
methyl linoleate, oxidation products of, 868
SPERMATIDS, mouse cultures, arachidonic acid metabolism, 275
SPERMATOCYTES, isolation from mouse testes, 275
mouse cultures, arachidonic acid metabolism, 275
SPHINGOMYELIN, analysis, response factors, TLC-flame ionization detection, 74
content, composition, rabbit alveolar macrophages, 125
content, rat liver, effect of dietary 13-*cis* retinoic acid, 142
goats' milk, content and fatty acid composition, 55
inhibition of myxovirus-induced hemolysis, 489
oleate, acetate incorporation, rat liver, effect of dietary plasticizer, 211
SPINGOSINE, amide derivatives, sponge, acetylation, 889
SPINACH LEAVES, diacylglycerol acyltransferase, partial purification, characterization, 1
SPINASTEROL, beet leaves, content, GLC, HPLC, NMR, 229
NMR spectra, 229
α-SPINASTEROL, formation from cyclolaudenol in Cucurbitaceae, 302
SPLEEN, rat, phospholipids and phospholipid fatty acids, 412
rat, relative contribution to fatty acid synthesis in vivo, 223
guinea pig, cholesterol, cholesteryl ester content, control and cholesterol-fed guinea pig, 18
SPLENOCYTE, rat, PE, PC fatty acid profile, dietary α-linolenate, 737
SPONGE, ceramides, isolation and composition analysis, 889
α-methoxy fatty acids, 830
occurrence of 17*Z*-tetracosenyl-1-glycerol ether, 107
polyunsaturated fatty acids, GC-MS, CI-MS, double-bond location, 853
sterols, content and composition, 193
Tethya amanensis, sterols content, composition, 193
SPOTTED DOGFISH, osmoregulation, ω3, ω6 PUFA, 720
SQUALENE, biosynthesis, acetate, mevalonate, rat liver, 668
dietary, absorption and metabolic fate, rat, 233
dietary, effect on tissue sterols, fecal bile acids, rat, 32
separation, reversed-phase TLC, 87
synthesis from acetate, mevalonate, rat liver, effect of dietary plasticizer, 211
^{3H}-SQUALENE, biliary, metabolism in rat jejunal mucosa, 530
SQUID, fatty acid profile, 743
STEARATE, in mouse peritoneal macrophage and tumoricidal activity, 483
STEARIC ACID, composition, cocoa beans, temperature effects, 863
composition, triglycerides, oat and soybean, 882
dibromo, dietary, rat liver fatty acid profile, 661
tetrabromo, dietary, rat liver fatty acid profile, 661
STEAROYL-CoA DESATURASE, housefly, distribution, half-life, 595
rat liver, effect of dietary iron, 573, erratum 913
STEAROYL-CoA DESATURASE ACTIVITY, assay in rat liver, 573, erratum 913
STERCULIC ACID, cyclopropenoid, cottonseed, distribution, GLC, 589
STEREOSPECIFIC ANALYSIS, echidna milk TG, 848
monotreme milk TG, 848
phosphatidylcholine and phosphatidylglycerol of bovine pulmonary surfactant, 522
platypus milk TG, 848
triglycerides, soybean, oat, 882
STEREOSPECIFICITY, lipase, determination using alkyldiacyl- and alkylmonoacylglycerol substrates, 313
lipases, determination of, 239
STEROID 12α-HYDROXYLASE, bile acid feeding, hamster hepatic, 789
STEROIDS, acidic, rat bile, feces, analysis by GLC, 186
excretion, rat biliary, fecal, effect of diet, 186
metabolism, rat, effect of dietary *trans* unsaturated fatty acids, 375
neutral, rat bile, feces, analysis by GLC, 186
STEROL ESTERS, yeast, synthesis and metabolism, 545
STEROLS, Δ5-, Δ7-, beet leaves, content, GLC, HPLC, NMR, 229
cilia, tunicate, 900
content, freshwater molluscs, 100
content, sea anemone, effect of season, 12
derivatives, argentation TLC, 641
digitonin precipitation, cholesterogenesis assay, 641
dimethyl, isolation by TLC, 302
ethyl, formation from cyclolaudenol in Cucurbitaceae, 302
HPLC, 772
in *Lephogorgia subcompressa*, 570
separation, reversed-phase TLC, 87
sponge, content and composition, 193
striped bass eggs, 510
6-substituted, effect on fungus reproduction, 358
synthesis and metabolism in yeast, 545
synthesis in rat jejunal mucosa, 530
synthesis in *Saprolegnia ferax*, 448
tissue, effect of dietary squalene, 32
STEROL ESTERS, content, sea anemone, effect of season, 12
STEROLOGENESIS, rat liver, inhibition by chlorpromazine, 668
STERYL ACETATES, separation by argentation TLC, 302
STERYL ESTERS, striped bass eggs, 510
synthesis from oleate, rat liver, effect of dietary plasticizer, 211
STIGMASTA-8,E-23(28)-DIENOL, in *Saprolegnia ferax*, 448
STIGMASTEROL, separation, reversed-phase TLC, 87
ST. JOHN'S WORT. See *Hypericum ericoides*
STOMACH, guinea pig, cholesterol, cholesteryl ester content, control and cholesterol-fed, 18
rat, relative contribution to fatty acid synthesis in vivo, 223
STREPTOMYCIN, bleaching of lamellae of *Euglena*

gracilis, 539
STREPTOZOTOCIN, diabetic rat, altered microsomal phospholipid composition, 339
STRIPED BASS, eggs, lipid class and fatty acid composition, 510
SUCROSE, carbon source, oleaginous yeast, 623
SUCROSE-FED RATS, serum, liver, lipid levels, effect of clofibrate, chroman analogs, 59
SULFOLIPID, isolation, from rat salivary glands, 146
synthesis, rat salivary gland, effect of dietary vitamin E, 146
SUNFLOWER OIL, thermally oxidized, lipolysis, pancreatic lipase, 611
SURFACTANT, bovine pulmonary, isolation, 522
SYNTHETASE, fatty acid, assay, rat liver, 7
SYSTOLIC BLOOD PRESSURE, estrogens, 753

T

TAUROCHENODEOXYCHOLIC ACID, human bile, separation by HPLC, analysis, mass spectrometry, 90
metabolism, liver, prairie dog, 909
TAUROCHOLATE, binding by chitosan, 714
TAUROCHOLIC ACID, human bile, separation by HPLC, analysis, mass spectrometry, 90
metabolism, liver, prairie dog, 909
phospholipid emulsion, preparation, 216
TAURODEOXYCHOLIC ACID, human bile, separation by HPLC, analysis, mass spectrometry, 90
TAUROLITHOCHOLIC ACID, human bile, separation by HPLC, analysis, mass spectrometry, 90
metabolism, liver, prairie dog, 909
TAUROURSODEOXYCHOLIC ACID, human bile, separation by HPLC, analysis, mass spectrometry, 90
TEMPERATURE, effects on lipid composition, cocoa beans, 863
environmental, effect, liver desaturases, 7
TERPENES, in *Hypericum ericoides*, 439
TESTES, mouse, cultured spermatocytes, arachidonic acid metabolism, 275
rat, bromine content following feeding of brominated corn oil or monoglycerides, 327
rat, effect of soybean and evening primrose oil and fatty acid profile, 760
rat, phospholipids and phospholipid fatty acids, 412
rat, relative contribution to fatty acid synthesis in vivo, 223
Tethya amanensis, sponge, sterols content, composition, 193
17Z-TETRACOSENYL 1-GLYCEROL ETHER, occurrence, sponges, 107
Tetrahymena ISO, branched-chain fatty acid composition, 423
effects of feed isovalerate, 423
phospholipid composition, 423
Theobroma cacoa L. See cocoa beans
THERMAL OXIDATION, sunflower oil, lipolysis products, 611
THIOLCARNITINE, synthesis and biological activity, 382
THROMBIN, platelet aggregation, phospholipid content, incorporation of arachidonic acid, 859
platelet aggregation, potentiation by 5,8,11-eicosatrienoic acid, 291
THROMBOXANE, platelets, effect of dietary vitamin E and linoleate, 267
synthesis, smooth muscle cells, platelets, effect of eicosapentaenoic acid, 42
THYMOCYTE, rat, PE fatty acid profile, dietary 18:2:α-linolenate ratio, 737
THYMUS, rat, relative contribution to fatty acid synthesis in vivo, 223
TISSUE CULTURE, guinea pig smooth muscle cells, 566
TISSUE STEROLS, effect of dietary squalene, 32
TOCOPHEROL ACETATE, effect on photooxidation of fatty acids, 259
α-TOCOPHEROL, effect on in vivo lipid peroxidation, vitamin C deficient guinea pig, 271
HPLC, mammalian plasma, inclusion of antioxidants, 837
γ-TOCOPHEROL, HPLC, mammalian plasma, inclusion of antioxidants, 837
TOCOPHEROLS, electron spin resonance spectra, 81
TRANSLOCASE, adenine nucleotide, effect of dietary linoleic acid on kinetics, 130
TRANSPLANTATION, murine adipose tissue, 776
TRANSPORT, ion, effect of diacylglycerols, phosphatidylcholine, 96
5,9,23-TRIACONTATRIENOIC ACID, PL of demosponge *Higginsia tethoides*, 830
TRIACYLGLYCEROL, adipocytes, heterogeneous labeling by in vivo-in vitro technique, 25
adipocytes, incorporation of erucic acid, 137
analysis, response factors, TLC-flame ionization detection, 74
content in pelagic organisms, Lake Baikal, 149
content, sea anemone, effect of season, 12
effect on hydrocarbon partition into bile salt-phospholipid emulsion, 216
liver, sucrose-fed rats, effect of clofibrate, chroman analogs, 59
mouse testes and isolated cells, fatty acid distribution, arachidonate metabolite incorporation, 275
rat lung in vitro, biosynthesis from acetoacetate, glucose, 295
rat lung, polyunsaturated fatty acid incorporation, effect of age, 50
serum, sucrose-fed rat, effect of clofibrate, chroman analogs, 59
spinach leaves, content, fatty acid profile, 1
synthesis in vitro, mouse mammary gland, asymmetric decanoate distribution in TG, 335
TRIARIMOL, effect on sterol synthesis in *Saprolegnia ferax*, 448
TRIGLYCERIDES, boric acid chromarods, FID quantitation, 732
fasting pony serum, fatty acids, 397
hepatic, rat, effect of fat-free ethanol-containing diet, arachidonate supplementation, 285
human serum, and low density lipoprotein density, 553
in VLDL, LDL, HDL, rabbits fed standard or cholesterol-rich diet, 306
oat, stereospecific analysis, 882
plasma, iron-deficient rats, 673
plasma, rat, effect of dietary plasticizer on, 211
rat liver and erythrocytes, 363

serum, rat, effect of diets containing partially hydrogenated marine oil, 151
soybean, stereospecific analysis, 882
synthesis from oleate, acetate, rat liver, effect of dietary plasticizer, 211
TRIMERS, thermally oxidized sunflower oil, lipolysis, pancreatic lipase, 611
TRINITROPHENYL-ω-AMINOLAUROYL GLYCERIDE, substrate, lipase assay, 650
TRIPALMITIN, quantification by chromarod thin layer chromatography, 563
TRYPTOPHAN, inhibition of lactoperoxidase-catalyzed lipid peroxidation, 204
TUMOR CELLS, cytotoxicity and macrophage lipids, 483
lipid content and composition, effect on response to immune attack, 475
TUNICATE, cilia, phospholipid and sterol content, fatty acids, 900
TWEEN, substrate, emulsifier, lipase assay, 650
XENOBIOTIC HYDROCARBONS, behavior in simulated intestinal content, 216
WAXES, in *Hypericum ericoides*, 439

U

Ulosa ruetzleri, occurrence of 17*Z*-tetracosenyl-1-glycerol ether, 107
ULTRACENTRIFUGATION, isolation of bovine lipoproteins, 795
plasma lipoproteins, 636
URINE, rat, EFA-deficient, vasopressin excretion, 682
URSODEOXYCHOLIC ACID, treatment of cholesterol gallstones, 789

V

VACCENIC ACID, nomenclature, 913
VASOPRESSIN, urinary, EFA-deficient rats, 18:3ω3 supplementation, 682
VESICLES, phosphatidylcholine, physical characterization of complex with β-lactoglobulin, 111
VIRUS, mechanism of cell attack, 489
membrane fusion, 489
VITAMIN A, HPLC, mammalian plasma, inclusion of antioxidants, 837
VITAMIN C, effect in vivo lipid peroxidation, 271
VITAMIN E, dietary, effect on platelet thromboxane and malonaldehyde, 267
dietary, effect on pyruvate kinase levels, 146
dietary, effect on sulfolipid synthesis, rat salivary gland, 146
electron spin resonance spectra, 81
HPLC, mammalian plasma, inclusion of antioxidants, 837

W

WATER CONSUMPTION, EFA-deficient rats, 18:3ω3 supplementation, 682
WAX ESTERS, absence in pelagic fauna, 149
analysis by chemical ionization mass spectroscopy, 68
chemical synthesis, 68
GLC, TLC, fatty acid, fatty alcohol profile, 585
striped bass eggs, 510
swine bladder, orange roughy, 585
WAXES, content, sea anemone, effect of season, 12
in *Hypericum ericoides*, 439

X

XENOBIOTIC HYDROCARBONS, behavior in simulated intestinal content, 216
XYLOSE, carbon source, oleaginous yeast, 623

Y

YEAST, oleaginous, enzyme activities, 630
sterol synthesis, effect of hypocholesterolemic drug AY-9944, 545
YEAST STEROL AUXOTROPH, *Saccharomyces cerevisiae* RD5-R, 772

Z

ZYMOSTEROL, in *Saprolegnia ferax*, 448